

## Quote 04/06/2021

| <b>To:</b><br>Bargreen Elling<br>Justin Sherriff<br>133 128th st SV<br>Everett, WA 982<br>253.475.9201<br>425-232-3459 ( | /<br>204                       | From:<br>RHI Solutions<br>Sarah Shelton<br>5628 Airport Way S<br>Suite 250<br>Seattle, WA 98108<br>(425)251-0531<br>425-251-0531 110 (Contact) |
|--|--------------------------------|--|
|  | Job Reference Number           | er: 10477  |
|  | **PRICING VALID UNTIL NEXT FAC | CTORY PRICE INCREASE**   |
| Item Qty   | Description                    | List Each Discount Net Each Net Total  |

|        |  |                          |             | 04/00/2021  |
|--------|--|--------------------------|-------------|-------------|
| 1 1 ea | COMBI OVEN, GAS  | \$33,476.00 50/5/5/5/5/5 | \$12,951.55 | \$12,951.55 |
|        | Vulcan Model No. ABC7G-NAT<br>Combi Oven/Steamer, natural gas, boilerless,<br>(7) 18" x 26" full size sheet or (14) 12" x 20" full<br>size hotel pan capacity, (3) knobs with LED<br>displays for temperature, timer & humidity,<br>auto-adjustment of humidity with temperature<br>selection, auto-reversing fan with electronic<br>braking system, cool to touch glass door,<br>flashing door light & audible alert, (4) Grab n Go<br>wire racks, stainless steel interior & exterior,<br>80,000 BTU, 120v/60/1-ph, engineered &<br>assembled in USA, UL EPH Classified, cULus |                          |             |             |
| 1 ea   | 1 year limited parts & labor warranty, standard  | \$0.00                   | \$0.00      | \$0.00      |
| 1 ea   | Filtration System  | \$0.00                   | \$0.00      | \$0.00      |
| 1 ea   | NOTE: Water is a customer supplied utility just<br>like Gas & Electric to the equipment. Proper<br>Water Filtration based on customer water<br>quality is essential to meet the equipment<br>water spec requirements. Verify type of<br>filtration needed based on performing a cold<br>water analysis from the customer site. A<br>suitable Water Treatment System & regular<br>filter replacements coupled with routine<br>cleaning/deliming is required.  | \$0.00                   | \$0.00      | \$0.00      |
| 1 ea   | CB30K-SYSTEM Single Hollow Carbon Filter<br>System, with 30,000 gallon capacity, for chlorine<br>& chloramine reduction, sediment, bad tastes &<br>odors, total organic compounds, tannins &<br>trihalomethanes, ANSI/NSF 42 & 53  | \$1,816.00 50/5/5/5/5/5  | \$702.59    | \$702.59    |
| 1 ea   | Opted out of Reverse Osmosis System  | \$0.00                   | \$0.00      | \$0.00      |
| 1 ea   | STAND-ABC/SS Stand, open frame, stainless<br>steel, with adjustable feet, includes: spray hose<br>& drip tray  | \$2,840.00 50/5/5/5/5/5  | \$1,098.77  | \$1,098.77  |
| 1 ea   | ABC-BASE Stainless Steel Base, for STAND-<br>ABC/SS  | \$646.00 50/5/5/5/5/5    | \$249.93    | \$249.93    |
| 1 ea   | ABC-CAST Casters, with 2 locking wheels, for use only with STAND-ABC/SS  | \$506.00 50/5/5/5/5/5    | \$195.77    | \$195.77    |
| 1 ea   | SPRAY-ABC Spray Hose Kit, Provided with ABC<br>Stand or ABC Stacking Kits - includes spray<br>handle, 8 ft. stainless steel braided hose &<br>mounting hardware  | \$0.00                   | \$0.00      | \$0.00      |
|        | То   | tal for item 1           |             | \$15,198.61 |

1

04/06/2021

| Item | Qty  | Description  | List Each       | Discount     | Net Each      | Net Total  |
|------|------|--|-----------------|--------------|---------------|------------|
| 2    | 1 ea | HD RANGE, 36" WORK TOP   | \$15,684.005    | 0/5/5/5/5/5  | \$6,067.99    | \$6,067.99 |
|      |      | Vulcan Model No. VWT36S<br>V Series Heavy Duty Range, gas, 36", work top,<br>standard oven, stainless steel front, top front<br>ledge, sides, base, burner box & stub back, 6"<br>adjustable legs, 32,000 BTU                                  |                 |              |               |            |
|      | 1 ea | 1 year limited parts & labor warranty, standard  | \$0.00          |              | \$0.00        | \$0.00     |
|      | 1 ea | Gas type to be specified   | \$0.00          |              | \$0.00        | \$0.00     |
|      | 1 ea | 1-1/4" rear gas connection, standard   | \$0.00          |              | \$0.00        | \$0.00     |
|      | 1 ea | Rear gas connection: cap & cover, both ends  | \$0.00          |              | \$0.00        | \$0.00     |
|      |      | Тс   | otal for item 2 | 2            |               | \$6,067.99 |
| 3    | 1 ea | GAS FLOOR FRYER<br>Vulcan Model No. VFRY18<br>V Series Heavy Duty Range Match Fryer, gas,<br>18", 45-50 lb. fat capacity, electronic ignition,<br>3/4" regulator, stainless steel exterior finish, 6"<br>adjustable legs, 70,000 BTU, CSA, NSF | \$17,802.005    | 0/5/5/5/5/5/ | /\$\$6,543.05 | \$6,543.05 |
|      | 1 ea | 1 year limited parts & labor, 5 year limited fry tank warranty, standard   | \$0.00          |              | \$0.00        | \$0.00     |
|      | 1 ea | Gas type to be specified   | \$0.00          |              | \$0.00        | \$0.00     |
|      | 1 ea | Controls voltage: 120v/60/1-ph, NEMA 5-15P, standard   | \$0.00          |              | \$0.00        | \$0.00     |
|      | 1 ea | 3/4" rear gas connection, standard   | \$0.00          |              | \$0.00        | \$0.00     |
|      | 1 ea | Rear gas connection: cap & cover, both ends  | \$0.00          |              | \$0.00        | \$0.00     |
|      |      | Тс   | otal for item 3 | 3            |               | \$6,543.05 |

04/06/2021

| Item | Qty  | Description  | List Each Discount       | Net Each      | Net Total   |
|------|------|--|--------------------------|---------------|-------------|
| 4    | 1 ea | HD RANGE, 12", WORK TOP<br>Vulcan Model No. VWT12<br>V Series Heavy Duty Range, 12", work top,<br>modular frame, stainless steel front, front top<br>ledge, side, base, burner box & stub back, 4"<br>flanged feet, CSA, NSF                 | \$5,064.00 50/5/5/5/5/5  | /\$\$1,861.25 | \$1,861.25  |
|      | 1 ea | 1 year limited parts & labor warranty, standard  | \$0.00                   | \$0.00        | \$0.00      |
|      | 1 ea | Gas type to be specified   | \$0.00                   | \$0.00        | \$0.00      |
|      |      | 1-1/4" front manifold connection   | \$0.00                   | \$0.00        | \$0.00      |
|      |      | Front manifold: cap & cover, left  | \$0.00                   | \$0.00        | \$0.00      |
|      |      | FRTTOP-60WLD Front Top Ledge, 60"<br>overlapping & welded  | \$1,306.00 50/5/5/5/5/5  |               | \$505.28    |
|      | 1 ea | VOVER-60ST Stub Riser, 4", overlapping, for 60" ranges   | \$1,798.00 50/5/5/5/5/5  | \$695.63      | \$695.63    |
|      | 1 ea | VDOLLY 60 Dolly Frame, 60"   | \$4,452.00 50/5/5/5/5/5  | \$1,722.44    | \$1,722.44  |
|      | 1 ea | V6B36S V Series Heavy Duty Range, gas, 36", (6)<br>35,000 BTU open burners, cast iron grates,<br>standard oven, stainless steel front, front top<br>ledge, sides, base, burner box & stub back, 6"<br>adjustable legs, 260,000 BTU, CSA, NSF | \$17,556.00 50/5/5/5/5/5 | \$6,792.25    | \$6,792.25  |
|      | 1 ea | 1 year limited parts & labor warranty, standard  | \$0.00                   | \$0.00        | \$0.00      |
|      | 1 ea | Gas type to be specified   | \$0.00                   | \$0.00        | \$0.00      |
|      | 1 ea | 1-1/4" front manifold connection   | \$0.00                   | \$0.00        | \$0.00      |
|      | 1 ea | Front manifold: cap & cover, open  | \$0.00                   | \$0.00        | \$0.00      |
|      | 1 ea | 650 degree Oven thermostat with 1/2" steel deck  | \$2,516.00 50/5/5/5/5/5  | \$973.42      | \$973.42    |
|      | 1 ea | VWT12 V Series Heavy Duty Range, 12", work<br>top, modular frame, stainless steel front, front<br>top ledge, side, base, burner box & stub back,<br>4" flanged feet, CSA, NSF  | \$5,064.00 50/5/5/5/5/5  | /\$\$1,861.25 | \$1,861.25  |
|      | 1 ea | 1 year limited parts & labor warranty, standard  | \$0.00                   | \$0.00        | \$0.00      |
|      | 1 ea | Gas type to be specified   | \$0.00                   | \$0.00        | \$0.00      |
|      | 1 ea | 1-1/4" rear gas connection, standard   | \$0.00                   | \$0.00        | \$0.00      |
|      | 1 ea | Rear gas connection: cap & cover, right  | \$0.00                   | \$0.00        | \$0.00      |
|      |      | Тс   | otal for item 4          |               | \$14,411.52 |

| 04/06/ | 2021 |
|--------|------|
|--------|------|

| ltem       | Qty                          | Description   | List Each                  | Discount | Net Each                   | Net Tota                   |
|------------|------------------------------|---|----------------------------|----------|----------------------------|----------------------------|
| 6          | 1 ea                         | REACH-IN REFRIGERATOR   | \$13,754.00                | 50/10/35 | \$4,023.05                 | \$4,023.05                 |
| 1-12       |                              | Victory Refrigeration Model No. VERSA-2D-SD-  |                            |          |                            |                            |
|            |                              | HC  |                            |          |                            |                            |
|            |                              | Victory Elite™ Refrigerator, reach-in, two-   |                            |          |                            |                            |
| e)         | 1                            | section, 52"W, 84-7/8"H, 45.2 cu. ft., (1) right-   |                            |          |                            |                            |
|            |                              | hand hinged solid door, (1) left-hand hinged  |                            |          |                            |                            |
|            |                              | solid door, (6) shelves, electronic control, LED  |                            |          |                            |                            |
|            |                              | interior lighting, digital display, stainless steel front, gray coated sides, aluminum interior, top  |                            |          |                            |                            |
|            |                              | mounted self-contained refrigeration, R290  |                            |          |                            |                            |
|            |                              | Hydrocarbon refrigerant, Variable Speed   |                            |          |                            |                            |
|            |                              | Technology, cULus, UL EPH Classified, UL-   |                            |          |                            |                            |
|            |                              | Sanitation, MADE IN USA   |                            |          |                            |                            |
|            | 1 ea                         | 3 years parts & labor warranty (excludes  | \$0.00                     |          | \$0.00                     | \$0.00                     |
|            |                              | maintenance items)  |                            |          |                            |                            |
|            | 1 ea                         | Self-Contained refrigeration  | \$0.00                     |          | \$0.00                     | \$0.00                     |
|            | 1 ea                         | Additional 4 year compressor warranty (part only), standard   | \$0.00                     |          | \$0.00                     | \$0.00                     |
|            | 1 ea                         | 115v/60/1-ph, 6.0 amps, cord with NEMA 5-15P  | \$0.00                     |          | \$0.00                     | \$0.00                     |
|            |                              | Door hinging: left door hinged left, right door   | \$0.00                     |          | \$0.00                     | \$0.00                     |
|            |                              | hinged right, standard  |                            |          |                            |                            |
|            | 1 ea                         | 6" Casters, standard  | \$0.00                     |          | \$0.00                     | \$0.00                     |
|            |                              | Тс  | otal for item (            | 5        |                            | \$4,023.05                 |
| 7          | 1 ea                         | REACH-IN FREEZER  | \$11,953.00                | 50/10/35 | \$3,496.25                 | \$3,496.25                 |
|            | -                            | Victory Refrigeration Model No. VEFSA-1D-SD-  |                            |          |                            |                            |
|            | 1                            | HC  |                            |          |                            |                            |
| 2-         |                              | Victory Elite <sup>™</sup> Freezer, reach-in, one-section,<br>26"W, 85" H, 21.66 cu. ft., (1) right-hand hinged   |                            |          |                            |                            |
|            |                              |   |                            |          |                            |                            |
| <b>'</b> # |                              | solid door door lock (3) adjustable shelves   |                            |          |                            |                            |
|            |                              | solid door, door lock, (3) adjustable shelves,  |                            |          |                            |                            |
|            | •                            | electronic control, LED interior lighting, digital  |                            |          |                            |                            |
|            |                              | electronic control, LED interior lighting, digital display, automatic defrost, top mounted self-  |                            |          |                            |                            |
|            |                              | electronic control, LED interior lighting, digital  |                            |          |                            |                            |
|            |                              | electronic control, LED interior lighting, digital display, automatic defrost, top mounted self-contained refrigeration, stainless steel front,   |                            |          |                            |                            |
|            | T                            | electronic control, LED interior lighting, digital<br>display, automatic defrost, top mounted self-<br>contained refrigeration, stainless steel front,<br>gray coated sides, aluminum interior, R290  |                            |          |                            |                            |
|            | 1 ea                         | electronic control, LED interior lighting, digital<br>display, automatic defrost, top mounted self-<br>contained refrigeration, stainless steel front,<br>gray coated sides, aluminum interior, R290<br>Hydrocarbon refrigerant, 3/4 HP, cULus, UL EPH<br>Classified, UL-Sanitation, MADE IN USA<br>3 years parts & labor warranty (excludes  | \$0.00                     |          | \$0.00                     | \$0.00                     |
|            |                              | electronic control, LED interior lighting, digital<br>display, automatic defrost, top mounted self-<br>contained refrigeration, stainless steel front,<br>gray coated sides, aluminum interior, R290<br>Hydrocarbon refrigerant, 3/4 HP, cULus, UL EPH<br>Classified, UL-Sanitation, MADE IN USA<br>3 years parts & labor warranty (excludes<br>maintenance items)  | ·                          |          | -                          | -                          |
|            | 1 ea                         | electronic control, LED interior lighting, digital<br>display, automatic defrost, top mounted self-<br>contained refrigeration, stainless steel front,<br>gray coated sides, aluminum interior, R290<br>Hydrocarbon refrigerant, 3/4 HP, cULus, UL EPH<br>Classified, UL-Sanitation, MADE IN USA<br>3 years parts & labor warranty (excludes<br>maintenance items)<br>Self-Contained refrigeration  | \$0.00                     |          | \$0.00                     | \$0.00                     |
|            | 1 ea                         | electronic control, LED interior lighting, digital<br>display, automatic defrost, top mounted self-<br>contained refrigeration, stainless steel front,<br>gray coated sides, aluminum interior, R290<br>Hydrocarbon refrigerant, 3/4 HP, cULus, UL EPH<br>Classified, UL-Sanitation, MADE IN USA<br>3 years parts & labor warranty (excludes<br>maintenance items)  | ·                          |          | -                          | -                          |
|            | 1 ea<br>1 ea                 | electronic control, LED interior lighting, digital<br>display, automatic defrost, top mounted self-<br>contained refrigeration, stainless steel front,<br>gray coated sides, aluminum interior, R290<br>Hydrocarbon refrigerant, 3/4 HP, cULus, UL EPH<br>Classified, UL-Sanitation, MADE IN USA<br>3 years parts & labor warranty (excludes<br>maintenance items)<br>Self-Contained refrigeration<br>Additional 4 year compressor warranty (part   | \$0.00<br>\$0.00           |          | \$0.00                     | \$0.00                     |
|            | 1 ea<br>1 ea<br>1 ea         | electronic control, LED interior lighting, digital<br>display, automatic defrost, top mounted self-<br>contained refrigeration, stainless steel front,<br>gray coated sides, aluminum interior, R290<br>Hydrocarbon refrigerant, 3/4 HP, cULus, UL EPH<br>Classified, UL-Sanitation, MADE IN USA<br>3 years parts & labor warranty (excludes<br>maintenance items)<br>Self-Contained refrigeration<br>Additional 4 year compressor warranty (part<br>only), standard  | \$0.00<br>\$0.00           |          | \$0.00<br>\$0.00           | \$0.00<br>\$0.00           |
|            | 1 ea<br>1 ea<br>1 ea<br>1 ea | electronic control, LED interior lighting, digital<br>display, automatic defrost, top mounted self-<br>contained refrigeration, stainless steel front,<br>gray coated sides, aluminum interior, R290<br>Hydrocarbon refrigerant, 3/4 HP, cULus, UL EPH<br>Classified, UL-Sanitation, MADE IN USA<br>3 years parts & labor warranty (excludes<br>maintenance items)<br>Self-Contained refrigeration<br>Additional 4 year compressor warranty (part<br>only), standard<br>115v/60/1-ph, 11.0 amps, cord with NEMA 5-15P | \$0.00<br>\$0.00<br>\$0.00 |          | \$0.00<br>\$0.00<br>\$0.00 | \$0.00<br>\$0.00<br>\$0.00 |

| ltem | Qty      | Description  | List Each        | Discount | Net Each         | Net Tota         |
|------|----------|--|------------------|----------|------------------|------------------|
| .3   | 1 ea     | UNDERCOUNTER REFRIGERATOR  | \$6,528.00       | 50/10/35 | \$1,909.44       | \$1,909.44       |
|      | -6       | Victory Refrigeration Model No. VUR27HC  |                  |          |                  |                  |
| -    | -        | Undercounter Refrigerator, one-section, 27"W,  |                  |          |                  |                  |
|      |          | rear mounted self-contained refrigeration, 6.15  |                  |          |                  |                  |
|      | Vietosii | cubic feet capacity, (1) self-closing door, (2)  |                  |          |                  |                  |
| F    | F        | epoxy coated wire shelves, full electronic   |                  |          |                  |                  |
|      |          | control, 1/2" thick stainless steel top, stainless   |                  |          |                  |                  |
|      |          | steel door, front & sides, aluminum interior,  |                  |          |                  |                  |
|      |          | Santoprene gaskets with 2 year warranty, R290  |                  |          |                  |                  |
|      |          | Hydrocarbon refrigerant, 1/10 HP, UL-  |                  |          |                  |                  |
|      |          | Sanitation, cULus, UL EPH Classified, MADE IN USA  |                  |          |                  |                  |
|      | 1 02     | 3 years parts & labor warranty (excludes   | \$0.00           |          | \$0.00           | \$0.00           |
|      | теа      | maintenance items)   | Ş0.00            |          | Ş0.00            | Ş0.00            |
|      | 1 ea     | Self-Contained refrigeration   | \$0.00           |          | \$0.00           | \$0.00           |
|      |          | Additional 4 year compressor warranty (part  | \$0.00<br>\$0.00 |          | \$0.00<br>\$0.00 | \$0.00<br>\$0.00 |
|      | 100      | only), standard  | <i>40.00</i>     |          | 90.00            | φ0.00            |
|      | 1 ea     | 115v/60/1-ph, 2.0 amps, with cord & NEMA 5-  | \$0.00           |          | \$0.00           | \$0.00           |
|      |          | 15P  |                  |          |                  |                  |
|      | 1 ea     | Door hinging: standard on right  | \$0.00           |          | \$0.00           | \$0.00           |
| :    | 1 ea     | Casters, set of (4), 6" high, (2) with brakes,<br>standard                                       | \$0.00           |          | \$0.00           | \$0.00           |
|      |          |  | tal for item     | 13       |                  | \$1,909.44       |
| L4   | 1 ea     | UNDERCOUNTER REFRIGERATOR  | \$6,528.00       | 50/10/35 | \$1,909.44       | \$1,909.44       |
| -    | -6       | Victory Refrigeration Model No. VUR27HC  |                  |          |                  |                  |
| -    | -        | Undercounter Refrigerator, one-section, 27"W,  |                  |          |                  |                  |
|      |          | rear mounted self-contained refrigeration, 6.15  |                  |          |                  |                  |
|      |          | cubic feet capacity, (1) self-closing door, (2)  |                  |          |                  |                  |
| *    | ¥.       | epoxy coated wire shelves, full electronic   |                  |          |                  |                  |
|      |          | control, 1/2" thick stainless steel top, stainless steel door, front & sides, aluminum interior, |                  |          |                  |                  |
|      |          | Santoprene gaskets with 2 year warranty, R290  |                  |          |                  |                  |
|      |          | Hydrocarbon refrigerant, 1/10 HP, UL-  |                  |          |                  |                  |
|      |          | Sanitation, cULus, UL EPH Classified, MADE IN  |                  |          |                  |                  |
|      |          | USA  |                  |          |                  |                  |
|      | 1 ea     | 3 years parts & labor warranty (excludes   | \$0.00           |          | \$0.00           | \$0.00           |
|      |          | maintenance items)   |                  |          |                  |                  |
|      |          | Self-Contained refrigeration   | \$0.00           |          | \$0.00           | \$0.00           |
|      | 1 ea     | Additional 4 year compressor warranty (part only), standard                                      | \$0.00           |          | \$0.00           | \$0.00           |
|      | 1 ea     | 115v/60/1-ph, 2.0 amps, with cord & NEMA 5-  | \$0.00           |          | \$0.00           | \$0.00           |
|      |          | 15P  |                  |          |                  |                  |
|      | 1 ea     | Door hinging: standard on right  | \$0.00           |          | \$0.00           | \$0.00           |
|      | 1 ea     | Casters, set of (4), 6" high, (2) with brakes,   | \$0.00           |          | \$0.00           | \$0.00           |
|      |          | standard   |                  |          |                  |                  |

| 04/06/2021 | L |
|------------|---|
|------------|---|

|       |      | KHI Solutions   |                 |             |            | 04/06/202  |
|-------|------|---|-----------------|-------------|------------|------------|
| ltem  | Qty  | Description   | List Each       | Discount    | Net Each   | Net Total  |
|       | 1 ea | DISHWASHER, DOOR TYPE   | \$13,036.00     | =NET=       | \$5,995.00 | \$5,995.00 |
| *** 8 |      | Moyer Diebel Model No. MD2000HT                                 |                 |             |            |            |
|       |      | Dishwasher, door type, 31-7/8"W, high                           |                 |             |            |            |
| nn    |      | temperature sanitizing with built-in 7.5 kW                     |                 |             |            |            |
|       | 2    | booster heater for 40°F & 70°F rise, straight-thru              |                 |             |            |            |
| 0     | T    | design (convertible from straight to corner                     |                 |             |            |            |
|       |      | operation in field), approximately (55)                         |                 |             |            |            |
|       |      | racks/hour capacity, 17" door opening,                          |                 |             |            |            |
|       |      | interchangeable spray arms, vent fan control,                   |                 |             |            |            |
|       |      | door activated start, automatic tank fill, low                  |                 |             |            |            |
|       |      | water tank heat protection, Rinse Sentry                        |                 |             |            |            |
|       |      | feature, automatic drain valve, top mounted                     |                 |             |            |            |
|       |      | splash proof controls, includes pressure                        |                 |             |            |            |
|       |      | regulating valve & line strainer, includes (1) flat             |                 |             |            |            |
|       |      | & (1) peg rack, single point connection,                        |                 |             |            |            |
|       |      | stainless steel construction, 5.2 kW tank heater,               |                 |             |            |            |
|       |      | 1 HP pump wash pump, NSF, cULus                                 |                 |             |            |            |
|       | 1 ea | 1 year parts and labor warranty, standard                       | \$0.00          |             | \$0.00     | \$0.00     |
|       | 1 ea | 208v/60/3, 40 amps, standard                                    | \$0.00          |             | \$0.00     | \$0.00     |
|       | 1 ea | Straight through operation, standard                            | \$0.00          |             | \$0.00     | \$0.00     |
|       |      | То  | otal for item 1 | 15          |            | \$5,995.00 |
|       | 1 ea | ICE MAKER WITH BIN, CUBE-STYLE                                  | \$5,474.00 5    | 50/10/5/5/5 | \$2,111.97 | \$2,111.97 |
|       |      | Ice-O-Matic Model No. ICEU226HA                                 |                 |             |            |            |
| -     |      | ICE Series™ Cube Ice Maker, cube-style,                         |                 |             |            |            |
|       |      | undercounter, air-cooled, self-contained                        |                 |             |            |            |
|       |      | condenser, approximately 241 lb production/24                   |                 |             |            |            |
| Ĩ     | 1    | hours, 70 lb. built-in bin, half-size cube, cULus,              |                 |             |            |            |
|       | 1    | NSF, CE   | ¢0.00           |             | ć0.00      | ć0.00      |
|       |      | 3 yr. parts & labor warranty, standard                          | \$0.00          |             | \$0.00     | \$0.00     |
|       | 1 ea | 5 yr. parts on the compressor warranty, standard                | \$0.00          |             | \$0.00     | \$0.00     |
|       | 1 ea | 5 yr. evaporator warranty, standard                             | \$0.00          |             | \$0.00     | \$0.00     |
|       | 1 ea | 208-230v/60/1-ph, 6.0 amps, standard                            | \$0.00          |             | \$0.00     | \$0.00     |
|       | 1 ea | IFQ1 Water Filter Manifold, single filter                       | \$495.00 5      | 60/10/5/5/5 | \$190.98   | \$190.98   |
|       |      | designed for ice makers producing up to 800                     |                 |             |            |            |
|       |      | lbs. (363.6 Kg.) of ice per day, 1.5 gpm maximum                |                 |             |            |            |
|       |      | flow rate, IsoNet <sup>®</sup> scale inhibitor, .5 micron       |                 |             |            |            |
|       |      | particle reduction, quick connect fittings (water               |                 |             |            |            |
|       |      | filters must be changed every 180 days (6                       |                 |             |            |            |
|       |      | months), at a minimum)  |                 |             |            |            |
|       | 1 ea | 1 yr parts & labor warranty (excluding<br>cartridges), standard | \$0.00          |             | \$0.00     | \$0.00     |
|       | 1 ea | 7 yr Evaporator warranty in lieu of standard 5 yr,              | \$0.00          |             | \$0.00     | \$0.00     |
|       |      | if an IFQ water filter is purchased with the                    | ·               |             | ·          | ·          |
|       |      | machine & filters replaced every 6 mo. (USA &                   |                 |             |            |            |
|       |      | Canada only)  |                 |             |            |            |
|       |      |   | tal for item    |             |            |            |

| 04/06/2021 |
|------------|
|------------|

| Item | Qty     | Description  | List Each    | Discount   | Net Each   | Net Total   |
|------|---------|--|--------------|------------|------------|-------------|
| 17   | 1 ea    | <b>GLASSWASHER, UNDERCOUNTER / UNDERBAR</b><br>Moyer Diebel Model No. 601HTG70<br>Craft Series Glasswasher, undercounter, 24"W,<br>high temperature, fresh water sanitized with<br>built-in electric booster heater for 70° rise, 6<br>kW booster heater, approximately (25)<br>racks/hour capacity,12-1/8"H door clearance, 2<br>kW tank heater, Soft Start, dedicated rinse<br>arms, built-in detergent & rinse-aid dispensing<br>pumps, auto-clean cycle flushes tank at<br>shutdown, delime feature, heavy duty cycle,<br>microprocessor controls, digital LED<br>temperature display, advanced service<br>diagnostics, counter balanced door, pumped<br>drain, includes (1) flat & (1) peg rack, stainless<br>steel construction, front leveling feet, 1 HP<br>wash pump, CETLus, NSF | \$6,706.00   | =NET=      | \$3,790.00 | \$3,790.00  |
|      | 1 ea    | 1 year parts and labor warranty, standard  | \$0.00       |            | \$0.00     | \$0.00      |
|      | 1 ea    | Voltage to be verified with jobsite  | \$0.00       |            | \$0.00     | \$0.00      |
|      |         | То   | tal for item | 17         |            | \$3,790.00  |
|      |         |  |              | Grand Tota |            | \$65,647.30 |
|      | ceptan  |  | Date         | e:         |            |             |
| Prii | nted N  | lame:  |              |            |            |             |
| Pro  | oject G | rand Total: \$65,647.30  |              |            |            |             |