



GAS CONNECTION #1: 2  
LOCATED IN ITEM: 841  
PIPE SIZE: 1.25 NPT  
CP HEIGHT: 32" AFF  
TOTAL GAS LOAD: 362 MBTU  
INCLUDES ITEMS: 841 840 837  
NOTE:



#### GENERAL NOTES - PLEASE READ

VENTILATION:  
ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRESSION:  
ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:  
ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:  
EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (4" W.C.)

BY OTHERS:  
VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:  
IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURER RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

10-13-2020  
10-13-2020 : 10:40:09a

CONNECTION POINT
C COLD WATER
H HOT WATER
HC HOT + COLD WATER
D DRAIN
P POWER
S SWITCH
CS CORD SET
CO CONV OUTLET RECP
CD DUPLEX RECPTABLE
SD SINGLE RECPTABLE
G GAS
SS STEAM SUPPLY
SR STEAM RETURN
ST STEAM TAKE OFF
VE EXHAUST VENT
VS SUPPLY VENT
RF REFRIGERATION

762	1 EA	1024	CHEESE MELTER
②	208 (1)	11.5A	78 AFF
837	1 EA	VGMT36S	RANGE
②	90 MBTU	1.25	MANIFOLD
840	1 EA	VCBB36B	CHAR BROILER
②	140 MBTU	1.25	MANIFOLD 1/27/21
841	1 EA	V2FT36C	RANGE
②	82 MBTU	1.25	32 AFF
②	120 (1)	4.0A	5-15

PROJECT CODE  
BRRC5

**VULCAN**  
THE VULCAN HART COMPANY  
BALTIMORE, MARYLAND  
410-284-0660

BOCA RATON  
BRRC

REVISIONS	By	Date	Revision
7	ddb	02/01/21	REMOVE UNUSED ITEMS

**NEXT STEP DESIGN**  
**913 WEST ST.**  
**ANNAPOLIS, MD 21401**

SCALE:  
AS NOTED  
DATE: 10-13-2020  
DRAWN BY: DDB  
VH-BRCC7

1  
OF 1