



VH-CAFEM

COPYRIGHT (C) 2021











1	1 EA	V2B12	RANGE
2	1 EA	V1FT36	RANGE
3	1 EA	V1FT36C	RANGE
4	1 EA	VCS18	CHEF STATION
5	1 EA	VWTØ6B	SPREADER
6	1 EA	36IRB	SALAMANDER WALL MOUNT
7	1 EA	V1FT36C	RANGE
8	1 EA	1TR45A	FRYER
9	1 EA	VSC48	REFRIGERATED BASE



GENERAL NOTES - PLEASE READ

VENTILATION:

ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRIESSION:

ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:

EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (14" W.C.)

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURES RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

09-13-2021

09-13-2021 : 08:55:21a 09-16-2021 : 04:45:37p CONNECTION POINT

C COLD WATER

(H) HOT WATER

HOT + COLD WATER

(D) DRAIN

POWER

SWITCH

CORD SET

€ CONV OUTLET RECP

DUPLEX RECPTACLE

SINGLE RECPTACLE

(A) GAS

(SS) STEAM SUPPLY

(CR) STEAM RETURN

(ST) STEAM TAKE OFF

VE EXHAUST VENT

VS SUPPLY VENT

(RF) REFRIGERATION

PROJECT CODE

CAFEM

VH-CAFEM

COPYRIGHT (C) 2021

