






PLAN VIEW



VH-CASCA
COPYRIGHT (C) 2021


VULCAN

DANNY SIZEMORE
CASCA

CASCADA PORTLAND

10-19-21

ELEVATION



VH-CASCA
COPYRIGHT (C) 2021


 **VULCAN**

DANNY SIZEMORE
CASCA

CASCADA PORTLAND

10-19-21

SEE VIEW



VH-CASCA

COPYRIGHT (C) 2021


 **VULCAN**

DANNY SIZEMORE
CASCA

CASCADA PORTLAND

10-19-21

SSW VIEW



VH-CASCA
COPYRIGHT (C) 2021

 **VULCAN**

DANNY SIZEMORE
CASCA

CASCADA PORTLAND

10-19-21

ITEM NUMBER : 6
QTY : 1 EA
MFG : METAL FABRICATOR
DESCRIP : CUSTOM ITEMS

FRONT RAIL
114 X 8" SST PLATE REST
FIXED 2" OFFSET TOWEL BAR RACK
BRASS FINIALS

REAR FLUE RISER
114" X 22" SEAMLESS FACE
ACCOMMODATE ITEM 1 V36RR STRUCTURES
RISER ONLY @ ITEM 2
REMOVABLE WIRE GRATE ITEM 3 & 4
CUSTOMER LOGO OVER ITEM 3 GRIDDLE

CASTERS
ADJUSTABLE HEIGHT CASTERS ITEM 1 & 4

POWDER COAT
GLOSS BLACK
OPERATOR SIDE ON BASE FRONTS WHERE
EXPOSED WHEN POSSIBLE

SIZE AND SHAPE PER DRAWING

GENERAL NOTES - PLEASE READ**VENTILATION:**

ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRESSION:

ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:



















EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (14" W.C.)

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURER RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

	CONNECTION POINT
	COLD WATER
	HOT WATER
	HOT + COLD WATER
	DRAIN
	POWER
	SWITCH
	CORD SET
	CONV OUTLET RECP
	DUPLEX RECPTACLE
	SINGLE RECPTACLE
	GAS
	STEAM SUPPLY
	STEAM RETURN
	STEAM TAKE OFF
	EXHAUST VENT
	SUPPLY VENT
	REFRIGERATION

10-07-2021

10-07-2021 : 12:04:48p

10-19-2021 : 08:50:20a

10-19-2021 : 09:04:54a

10-19-2021 : 12:34:19p

10-19-2021 : 12:39:33p

Danny Sizemore
RHI SOLUTIONS

PROJECT CODE

CASCA

v. 425-251-0531

Email: danny@rhi-solutions.com