

01/15/2021

NL1423

Quote

To: Premier Equipment Group, Inc. - GA
Chris Brewer
6725 Jimmy Carter Blvd
Suite E
Antioch, TN 37013
7702056869
770-205-6869 (Contact)

From: Vulcan FEG
Nan Lambert
2006 Northwestern Pksw.
Louisville, KY 40203
(502)778-2791
502-515-5085 (Contact)

Project: Cherokee Town Club
Atlanta, GA

Job Reference Number: 21L01030

NOTE: 1/1/2021 LIST price less 50% discount has been reflected on this quotation.

NOTE: Setup and installation of equipment by others.

NOTE: All gas quick disconnect hose kits, restraining devices and caster safety positioning kits specified to be supplied by others.

NOTE: This quote has been prepared based upon an incomplete written specification, equipment schedule, or floor plan only, whereby certain items have been a best guess only and therefore cannot be used as a reference to generate a dealer purchase order. Vulcan will not take responsibility for incorrectly ordered equipment based on this quote. It is therefore the dealer's responsibility to ensure accuracy and verify configuration prior to bidding or ordering.

| Item | Qty | Description | Net | Net Total |
|------|------|--|-------------|-------------|
| 1 | 1 ea | HD RANGE, 36", 6 OPEN BURNERS Vulcan V6B36C V Series Heavy Duty Range, gas, 36", (6) 35,000 BTU open burners, cast iron grates, convection oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 242,000 BTU, CSA, NSF | \$11,875.00 | \$11,875.00 |
| | 1 ea | 1 year limited parts & labor warranty, standard | | |
| | 1 ea | EXTENDED WARRANTY -- Optional extended warranty extends the warranty for a period of 12 months beyond the 12 month Original Equipment Warranty, not to exceed 24 months from date of installation. (net) | \$1,056.00 | \$1,056.00 |
| | 1 ea | Natural gas (specify elevation if over 2,000 ft.) | | |
| | 1 ea | PRESREG-NA11/4 1-1/4" NPT pressure regulator (Natural gas) | \$332.00 | \$332.00 |
| | 1 ea | 1-1/4" rear gas connection, standard | | |

| Item | Qty | Description | Net | Net Total |
|---------|------|--|------------------------|--------------------|
| | 1 ea | Rear gas connection: cap & cover, both ends | | |
| | 1 ea | 115v/60/1-ph, 4.0 amp, fan motor voltage, cord & plug, standard | | |
| | 3 ea | SGRATE-VRNG "S" grate, in lieu of standard open burner grate, per 12" section | \$393.00 | \$1,179.00 |
| | 1 ea | Stainless steel oven cavity | \$1,196.00 | \$1,196.00 |
| | 1 ea | V36RR Reinforced Riser, for standard or convection ovens (if mounting a 36" cheesemelter or either of the salamanders on a back riser above the heavy duty range, you must add this) | \$1,113.00 | \$1,113.00 |
| | 1 ea | APPROVED PVR -- Stainless steel exterior bottom Less individual front top ledges for installation of overlapping front top ledge 90" long. | \$301.00 | \$301.00 |
| | 1 st | CASTERS ADJRR4 Casters, 6", adjustable (set of 4) (2 with locks) **Offered as ALTERNATE manufacturer to Hestan #HOP366/HCOP36** EXCEPTIONS: The Vulcan model offered has cast iron grates only, offered with our wavy grates. The oven temp range is 175-550 degrees, a 650 degree thermostat is not available on a convection oven. The oven has (3) rack positions and is standard with two racks and sets of guides. Offered with a 36" wide reinforced riser for mounting and interplumbing a salamander to the range. A perforated flue cap is not available. Third and fourth year warranty by others. | \$508.00 | \$508.00 |
| | | | Extended Total: | \$17,560.00 |
| 4/5/6/7 | 2 ea | GAS FLOOR FRYER Vulcan VFRY18 V Series Heavy Duty Range Match Fryer, gas, 18", 45-50 lb. fat capacity, electronic ignition, 3/4" regulator, stainless steel exterior finish, 6" adjustable legs, 70,000 BTU, CSA, NSF | \$8,901.00 | \$17,802.00 |
| | 2 ea | 1 year limited parts & labor, 5 year limited fry tank warranty, standard | | |
| | 2 ea | EXTENDED WARRANTY -- Optional extended warranty extends the warranty for a period of 12 months beyond the 12 month Original Equipment Warranty, not to exceed 24 months from date of installation. (net) | \$858.00 | \$1,716.00 |
| | 2 ea | Gas type to be specified | | |
| | 2 ea | Controls voltage: 120v/60/1-ph, NEMA 5-15P, standard | | |
| | 1 ea | 3/4" rear gas connection, standard | | |
| | 1 ea | Rear gas connection: cap & cover, left ---and--- | | |
| | 1 ea | 1-1/4" front manifold connection | | |
| | 1 ea | Front manifold: cap & cover, right | | |
| | 2 ea | VSPGARD FRYER Removable Splash Guard, 10", stainless steel, for fryer | \$138.00 | \$276.00 |
| | 1 ea | BANKING VFR Fryer banking strip Less individual front top ledges for installation of overlapping front top ledge 90" long. | \$139.00 | \$139.00 |
| | 2 st | CASTERS VULSCR Set of 4 adjustable casters, 6" overall height, battery | \$314.00 | \$628.00 |

| Item | Qty | Description | Net | Net Total |
|------|------|--|--------------------|------------|
| | | screw mount, (2) with brakes | | |
| | | **Offered as ALTERNATE manufacturer to Hestan #HFRL18/HFRR18** | | |
| | | EXCEPTIONS: | | |
| | | The Vulcan models offered have 45 lb fry tanks. | | |
| | | The doors hare hinged left only. | | |
| | | Each fryer is standard with a .75" regulator. | | |
| | | The fryers are offered as battery. | | |
| | | The fryers cannot share a common backgaurd with adjacent units. Each | | |
| | | flue is 11" high with a basket hanger. | | |
| | | A perforated flue cap is not available. | | |
| | | Third and fourth year warranty by others. | | |
| | | Extended Total: | \$20,561.00 | |
| 21 | 1 ea | HD RANGE, 36", CHARBROILER | \$8,074.00 | \$8,074.00 |
| | | Vulcan VCBB36 | | |
| | | V Series Heavy Duty Range, gas, 36", modular, charbroiler, cast iron | | |
| | | grates & radiants, stainless steel front, front top ledge, side, base, | | |
| | | burner box & stub back, 4" flanged feet, 99,000 BTU, CSA, NSF | | |
| | 1 ea | 1 year limited parts & labor warranty, standard | | |
| | 1 ea | EXTENDED WARRANTY -- Optional extended warranty extends the | \$530.00 | \$530.00 |
| | | warranty for a period of 12 months beyond the 12 month Original | | |
| | | Equipment Warranty, not to exceed 24 months from date of | | |
| | | installation. (net) | | |
| | 1 ea | Natural gas (specify elevation if over 2,000 ft.) | | |
| | 1 ea | NOTE: A regulator must be used on this equipment | | |
| | 1 ea | 1-1/4" front manifold connection | | |
| | 1 ea | Front manifold: cap & cover, left | | |
| | | Less individual front top ledges for installation of overlapping front | | |
| | | top ledge 84" long. | | |
| | 1 ea | FRTTOP-84CMD Front Top Ledge, 84" overlapping wit pull-out | \$880.00 | \$880.00 |
| | | condiment rail, fits 1/9th pans | | |
| | 1 ea | V36ST34 double-deck height riser, no shelf, non-overlapping, 36" | \$912.00 | \$912.00 |
| | 1 ea | VSC36 Refrigerated Base, 36", self-contained, (2) drawers, flat top, | \$9,592.00 | \$9,592.00 |
| | | stainless steel front & sides, electric condensate evaporator, casters, | | |
| | | cULus, NSF | | |
| | 1 ea | NOTE: When ordering equipment to battery with units on refrigerated | | |
| | | bases, you must order the additional equipment on adjustable casters | | |
| | | or legs (not standard casters) | | |
| | 1 ea | 3 year parts & labor warranty, 2 years additional compressor parts | | |
| | | warranty, standard | | |
| | 1 ea | Compressor on left, standard | | |
| | | **Offered as ALTERNATE manufacturer to Hestan #HFBS36/ | | |
| | | Charbroiler** | | |
| | | EXCEPTIONS: | | |
| | | The Vulcan model offered has a removeable three piece splash. | | |
| | | The unit is to be manifolded with #8/22. | | |
| | | The item is offered with a 36" refrigerated base, a 36" freezer base is | | |
| | | not available. | | |
| | | Offered with a 34" high riser, the unit cannot share a riser with item | | |
| | | #8/20. | | |

| Item | Qty | Description | Net | Net Total |
|---|------|---|------------------------|--------------------|
| <p>The overlapping front top ledge is for items #21/#8/22. A perforated flue cap is not available. Third and fourth year warranty by others.</p> | | | | |
| | | | Extended Total: | \$19,988.00 |
| 12 | 1 ea | MULTI-FUNCTION COOKER, ELECTRIC Vulcan VCS18 V-Series Multifunction Cooker, electric, 18", single tank (front-to-back), 5 gallon capacity, (6) heating elements, 450°F maximum temperature, water dispenser with integrated safety valve, (2) covers per tank, drain & detachable drain pipe, stainless steel construction, 6" adjustable legs, 9.0kW, NSF, cETLus | \$9,253.00 | \$9,253.00 |
| | 1 ea | 1 year limited parts & labor warranty, standard | | |
| | 1 ea | 208v/60/3-ph, 25.0 amps, standard | | |
| <p>Less individual front top ledges for installation of overlapping front top ledge 90" long.</p> | | | | |
| | 1 ea | FRTTOP-90CMD Front Top Ledge, 90" overlapping wit pull-out condiment rail, fits 1/9th pans | \$1,021.00 | \$1,021.00 |
| | 1 ea | V18ST34 double-deck height riser, no shelf, non-overlapping, 18" | \$706.00 | \$706.00 |
| | 1 st | CASTERS VULSCR Set of 4 adjustable casters, 6" overall height, battery screw mount, (2) with brakes | \$314.00 | \$314.00 |
| <p>**Offered as ALTERNATE manufacturer to Hestan #HPCHL18**</p> | | | | |
| <p>EXCEPTIONS: The Vulcan model offered is an electric versatile cooking station, it can operate as a pasta cooker. A gas pasta cooker is not available. The unit is offered with the overlapping front top ledge with condiment rail for items 1, 4,5 and 12. A 34" high riser is offered, this cannot share a common riser with the adjacent range due to the salamander. A perforated flue cap is not available. Baskets to be supplied by others. Third and fourth year warranty by others.</p> | | | | |
| | | | Extended Total: | \$11,294.00 |
| 13 | 1 ea | SALAMANDER BROILER, GAS Vulcan 36IRB Salamander Broiler, gas, 36" wide, 30,000 BTU heavy duty infrared burner, dual control, (6) grid positions, removable pan, stainless steel front, top & sides, 3/4" gas connection & pressure regulator | \$3,706.00 | \$3,706.00 |
| | 1 ea | 1 year limited parts & labor warranty, standard | | |
| | 1 ea | Optional extended warranty extends the warranty for a period of 12 months beyond the 12 month Original Equipment Warranty, not to exceed 24 months from date of installation. (net) | \$922.00 | \$922.00 |
| | 1 ea | Gas type to be specified | | |
| | 1 ea | Range mount | | |
| | 1 ea | PLUMBIN-KIT Inter-plumbing gas connection kit (requires rear gas connection on range), for connecting 36RB/36IRB to heavy duty V-Series ranges | \$528.00 | \$528.00 |
| <p>**Offered as ALTERNATE manufacturer to Hestan #HSMR36**</p> | | | | |

| Item | Qty | Description | Net | Net Total |
|---|------|--|------------------------|-------------------|
| EXCEPTIONS: The Vulcan model offered has enclosed sides. The unit is 19" deep. Third and fourth year warranty by others. | | | | |
| | | | Extended Total: | \$5,156.00 |
| 8/22 | 1 ea | HD RANGE, 36", THERMOSTATIC GRIDDLE Vulcan VGMT36-MOD V Series Heavy Duty Range, gas, 36", modular, griddle, 3/4" thick polished steel plate, snap action thermostatic controls, stainless steel front, top front ledge, sides, base, burner box & stub back, 4" flanged feet, 90,000 BTU, CSA Flame, CSA Star, NSF | \$7,250.00 | \$7,250.00 |
| | 1 ea | 1 year limited parts & labor warranty, standard | | |
| | 1 ea | EXTENDED WARRANTY -- Optional extended warranty extends the warranty for a period of 12 months beyond the 12 month Original Equipment Warranty, not to exceed 24 months from date of installation. (net) | \$530.00 | \$530.00 |
| | 1 ea | Natural gas (specify elevation if over 2,000 ft.) | | |
| | 1 ea | PRREGN-001 1" NPT pressure regulator with reducer (Natural gas) | \$264.00 | \$264.00 |
| | 1 ea | 1-1/4" rear gas connection, standard | | |
| | 1 ea | Rear gas connection: cap & cover, right | | |
| | 1 ea | TGRD48-TGA001 48" Overlapping Griddle, thermostatic controls | \$1,576.00 | \$1,576.00 |
| | 1 ea | NOTE: Overlapping griddles require common front top ledge & rear riser | | |
| | 1 ea | VGT12 V Series Heavy Duty Range, gas, 12", modular griddle base, for use with 48" overlapping griddle units ONLY. Snap action thermostatic control, stainless steel front, front top ledge, side, base, burner box & stub back, 4" flanged feet, 30,000 BTU, CSA Flame, CSA Star, NSF | | |
| | 1 ea | VSC48-MOD Freezer Base, 48", self-contained, (2) drawers, flat top, stainless steel front & sides, electric condensate evaporator, casters, cULus, NSF | \$12,169.00 | \$12,169.00 |
| | 1 ea | NOTE: When ordering equipment to battery with units on refrigerated bases, you must order the additional equipment on adjustable casters or legs (not standard casters) | | |
| | 1 ea | 3 year parts & labor warranty, 2 years additional compressor parts warranty, standard | | |
| | 1 ea | 3 year parts & labor warranty, 2 years additional compressor parts warranty, standard | | |
| | 1 ea | Compressor on left, standard | | |
| | 1 ea | V48RR Reinforced Riser, for standard or convection ovens (if mounting a 48" cheesemelter or either of the salamanders on a back riser above the heavy duty range, you must add this) | \$2,110.00 | \$2,110.00 |
| **Offered as ALTERNATE manufacturer to Hestan #HTG48/HRBS48** | | | | |
| EXCEPTIONS: The Vulcan unit is offered with a 48" freezer base in lieu of the refrigerated base. Allow for extra lead time to this item. Offered with the reinforced riser w/ high shelf for mounting the cheesemelter and interplumbing it. The griddle has 30,000 BTU burners. | | | | |

| Item | Qty | Description | Net | Net Total |
|---|------|--|------------------------|---------------------|
| A flue cap is not available. The refrigerated base is offered with the standard warranty. Third and fourth year warranty by others for the griddle. | | | | |
| | | | Extended Total: | \$23,899.00 |
| 17 | 1 ea | CHEESEMELTER, GAS Vulcan VICM48 Cheesemelter, gas, 48", (2) infrared burners, 3-position heavy duty rack, removable pan, stainless steel interior, includes: wall mount panel, 40,000 BTU, NSF, CSA Star, CSA Flame | \$4,707.00 | \$4,707.00 |
| | 1 ea | 1 year limited parts & labor warranty, standard | | |
| | 1 ea | EXTENDED WARRANTY -- Optional extended warranty extends the warranty for a period of 12 months beyond the 12 month Original Equipment Warranty, not to exceed 24 months from date of installation. (net) | \$758.00 | \$758.00 |
| | 1 ea | SPECIFY TYPE OF GAS WHEN ORDERING. SPECIFY ALTITUDE WHEN ABOVE 3,999 FT. | | |
| NOTE: Models are constructed standard for natural gas service. Propane conversion kit is supplied with the unit. Conversion is the customer's responsibility. Please indicate propane or natural gas when processing your order. | | | | |
| NOTE: Elevation orifice kit is available free of charge for high-elevation applications. Installation is the customer's responsibility. Please indicate elevation when processing your order. | | | | |
| | 1 ea | Gas type to be specified | | |
| | 1 ea | PLUMBIN-KIT Inter-plumbing gas connection kit (requires rear gas connection on range), for connecting 36RB/36IRB to heavy duty V-Series ranges | \$528.00 | \$528.00 |
| **Offered as ALTERNATE manufacturer to Hestan #HCMR48** | | | | |
| EXCEPTIONS: | | | | |
| The Vulcan cheesemelter has closed sides. | | | | |
| The unit is 40,000 BTU's. | | | | |
| Third and fourth year warranty by others. | | | | |
| | | | Extended Total: | \$5,993.00 |
| | | | Total | \$104,451.00 |

Prices Good Until: 12/31/2021

NOTES:

The Vulcan/Wolf/Berkel equipment Offered is produced as per our standard manufacture unless otherwise specified.

This Quotation is based on the written or verbal information provided to us. Vulcan FEG assumes no liability for any pricing variances caused by ambiguity or omissions in that information.

Spec Sheets for Vulcan/ Wolf/Berkel equipment offered are available on our website @ www.vulcanequipment.com and click on Resource Center.

Acceptance: _____ Date: _____

Printed Name: _____

Project Grand Total: \$104,451.00