


VH-CINOS COPYRIGHT (C) 2021




KEITH WILKENS


ELEVATION



VH-CINOS COPYRIGHT (C) 2021









VH-CINOS

COPYRIGHT (C) 2021








VH-CINOS COPYRIGHT (C) 2021




ELEVATION



VH-CINOS COPYRIGHT (C) 2021




NE VIEW




VH-CINOS COPYRIGHT (C) 2021

VULCAN



VULCAN


SSE VIEW



VH-CINOS COPYRIGHT (C) 2021



SW VIEW



VH-CINOS COPYRIGHT (C) 2021



GENERAL NOTES - PLEASE READ

VENTILATION:

ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRIESSION:

ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:

EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (14" W.C.)

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURES RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

CONNECTION POINT

C COLD WATER

(H) HOT WATER

HBC WATER COLD

D DRAIN

POWER

SWITCH

CORD SET

€ CONV OUTLET RECP

DUPLEX RECPTACLE

SINGLE RECPTACLE

GAS

(SS) STEAM SUPPLY

(CR) STEAM RETURN

(ST) STEAM TAKE OFF

VE EXHAUST VENT

VS SUPPLY VENT

(RF) REFRIGERATION

10-16-2021

10-16-2021 : 08:53:31a

Keith Wilkens RHI SOLUTIONS

PROJECT CODE

CINOS

v. 425-251-0531

Email:keith@rhi-solutions.com

VH-CINOS

COPYRIGHT (C) 2021



KEITH WILKENS

CINO

10-16-21