


CONNECTIONS



VH-CNFLU

COPYRIGHT (C) 2021


VULCAN

RICH HANSON
CNFLU

THE CONFLUENCE HOTEL

08-18-22

CONNECTIONS



VH-CNFLU

COPYRIGHT (C) 2021


VULCAN

RICH HANSON
CNFLU

THE CONFLUENCE HOTEL

08-18-22

ELEVATION



VH-CNFLU
COPYRIGHT (C) 2021


 **VULCAN**

RICH HANSON
CNFLU

THE CONFLUENCE HOTEL

08-18-22

6SE VIEW



VH-CNFLU
COPYRIGHT (C) 2021


 **VULCAN**

RICH HANSON
CNFLU

THE CONFLUENCE HOTEL

08-18-22

SSW VIEW











VH-CNFLU
COPYRIGHT (C) 2021

VULCAN

RICH HANSON
CNFLU

THE CONFLUENCE HOTEL

08-18-22

1	2 EA	VFRY18	FRYER	
	70 MBTU	1.25	(1) 12 AFF	(1) MANIFOLD
	120 (1)	3.0A	5-15	
2	1 EA	V6B36S	RANGE	
	260 MBTU	1.25	MANIFOLD	
3	1 EA	VGMT36	GRIDDLE	
	90 MBTU	1.25	32 AFF	
4	1 EA	36IRB	SALAMANDER	
	30 MBTU	0.75	INTERPLUMB	
5	1 EA	VSC36	REFRIG BASE	
	120 (1)	6.7A	5-15	
8	1 EA	VC55GD	CONVECTION OVEN	
	120 (1)	7.7A	5-15	(2) CIRCUITS
	100 MBTU	0.75	12 AFF	

GAS CONNECTION #: 1
 LOCATED IN ITEM: 1
 PIPE SIZE: 1.25 NPT
 CP HEIGHT: 12 AFF
 TOTAL GAS LOAD: 400 MBTU
 INCLUDES ITEMS: 2 1
 NOTE:

GAS CONNECTION #: 2
 LOCATED IN ITEM: 3
 PIPE SIZE: 1.25 NPT
 CP HEIGHT: 32" AFF
 TOTAL GAS LOAD: 120 MBTU
 INCLUDES ITEMS: 3 4
 NOTE:

GENERAL NOTES - PLEASE READ**VENTILATION:**

ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRESSION:

ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:



















EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (14" W.C.)

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURER RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

	CONNECTION POINT
	COLD WATER
	HOT WATER
	HOT + COLD WATER
	DRAIN
	POWER
	SWITCH
	CORD SET
	CONV OUTLET RECP
	DUPLEX RECPTACLE
	SINGLE RECPTACLE
	GAS
	STEAM SUPPLY
	STEAM RETURN
	STEAM TAKE OFF
	EXHAUST VENT
	SUPPLY VENT
	REFRIGERATION

06-26-2021

06-26-2021 : 07:58:05a

06-26-2021 : 08:02:19a

06-29-2021 : 10:23:45a

06-30-2021 : 06:43:57a

08-18-2022 : 09:51:54a

 Rich Hanson

v. 847-975-3912

Email: rich.hanson@itwfeg.com

PROJECT CODE

CNFLU