




















CRVMC		
CARVER MIDDLE SCHOOL		
TOLERANCE UNLESS OTHERWISE SPECIFIED		
2 PL. DEC. ± .06	3 PL. DEC. ± .031	ANGLES ± 1°
		08-30-16
THE VOLLRATH CO., LLC		COPYRIGHT 2016 SHEBOYGAN, WI





SERVER 1 | QTY 1
UTILITY COUNTER
 60 S-S X 28 F-B X 34 HIGH
 A (1) 40886 REFRIGERATED DISPLAY
 B 4" CASTERS (2) W/BRAKES
 C CUSTOMER SIDE PLATE REST
 W/LIFT-OFF BRACKET
 D BAG IN BOX STORAGE W/O DOORS
 E (1) RECEPTACLE AND CORD
 GROMMET
 F 120V 1Ø 3.9A NEMA 5-15

FINISHES AND MATERIALS
 TOP : 14 GA SST
 BODY : LAMINATE TBD
 TRIM : 18 GA SST
 PLATE REST : 18 GA SST

VOLTS 120
 Ø 1
 AMP 3.9





60
 W I O
 ELECTRICAL
 NEMA 5-15





CRVMC

CARVER MIDDLE SCHOOL
 TOLERANCE UNLESS OTHERWISE SPECIFIED
 2 PL. DEC. ± .06 3 PL. DEC. ± .031 ANGLES ± 1°

VOLLRATH
 08-30-16
 COPYRIGHT 2016
 THE VOLLRATH CO., LLC SHEBOYGAN, WI



H



SERVER 2 | QTY 1
HOT FOOD COUNTER
 60" S-S X 28" F-B X 34" HIGH
 A 4 INDIVIDUAL HOT WELLS
 B 4" CASTERS (2) W/BRAKES
 C CUSTOMER SIDE PLATE REST
 W/LIFT-OFF BRACKET
 D BAG IN BOX STORAGE W/O DOORS
 E TOUCH TEMP CONTROLS
 F (1) 1 1/2" DRAIN WITH BALL VALVE
 G 120V 1Ø 20.8A NEMA 5-3Ø
 H CONTEMPORARY BREATH GUARD

SINGLE SIDE CAFETERIA
 WITH TOP SHELF
 WITH ADJUSTABLE FRONT PANEL
 59" S-S 22" T-B

FINISHES AND MATERIALS

TOP : 14 GA SST
 BODY : LAMINATE TBD
 TRIM : 18 GA SST
 PLATE REST : 18 GA SST
 BREATH GRD : POLISHED SST

VOLTS 120
 Ø 1
 AMP 20.8



ELECTRICAL
 NEMA 5-3Ø

PLUMBING CW: -
 HW: -
 WASTE: (1) Ø.5" INDIRECT

CRVMC

CARVER MIDDLE SCHOOL

TOLERANCE UNLESS OTHERWISE SPECIFIED

2 PL. DEC. ± .06 3 PL. DEC. ± .031 ANGLES ± 1°







08-30-16

COPYRIGHT 2016

THE VOLLRATH CO., LLC



SHEBOYGAN, WI



SERVER 3 | QTY 1
HOT FOOD COUNTER
30 S-S X 28 F-B X 34 HIGH
A CUSTOM COUNTER WIDTH
B 1 INDIVIDUAL HOT WELLS
C 4" CASTERS (2) W/BRAKES
D CUSTOMER SIDE PLATE REST
W/LIFT-OFF BRACKET
E TOUCH TEMP CONTROLS
F (1) 1 1/2" DRAIN WITH BALL VALVE
G 120V 1Ø 5.2A NEMA 5-15
H CONTEMPORARY BREATH GUARD

SINGLE SIDE CAFETERIA
WITH TOP SHELF
WITH ADJUSTABLE FRONT PANEL
29" S-S 22" T-B

FINISHES AND MATERIALS
TOP : 14 GA SST
BODY : LAMINATE TBD
TRIM : 18 GA SST
PLATE REST : 18 GA SST
BREATH GRD : POLISHED SST



VOLTS 120
Ø 1
AMP 5.2
ELECTRICAL
NEMA 5-15

PLUMBING CW: -
 HW: -
WASTE: (1) Ø.5" INDIRECT

CRVMC

CARVER MIDDLE SCHOOL

TOLERANCE UNLESS OTHERWISE SPECIFIED

2 PL. DEC. ± .06 3 PL. DEC. ± .031 ANGLES ± 1°





08-30-16



COPYRIGHT 2016

THE VOLLRATH CO., LLC

SHEBOYGAN, WI





SERVER 4 | QTY 1
UTILITY COUNTER
 46 S-S X 28 F-B X 34 HIGH
 A 4" CASTERS (2) W/BRAKES
 B CUSTOMER SIDE PLATE REST
 W/LIFT-OFF BRACKET
 C BAG IN BOX STORAGE W/O DOORS
 D (1) INTERIOR RECEPTACLE AND
 CORD GROMMET
 E 120V 1ø 12.4A NEMA 5-20



FINISHES AND MATERIALS

TOP : 16 GA SST
 BODY : LAMINATE TBD
 TRIM : 18 GA SST
 PLATE REST : 18 GA SST



VOLTS 120
 Ø 1
 AMP 12.4 Max



ELECTRICAL
 NEMA 5-20

CRVMC

CARVER MIDDLE SCHOOL

TOLERANCE UNLESS OTHERWISE SPECIFIED

2 PL. DEC. ± .06 3 PL. DEC. ± .031 ANGLES ± 1°









08-30-16

COPYRIGHT 2016

THE VOLLRATH CO., LLC

SHEBOYGAN, WI



- SERVER 5 | QTY 1**
UTILITY COUNTER
 46 S-S X 28 F-B X 34 HIGH
 A 4" CASTERS (2) W/BRAKES
 B CUSTOMER SIDE PLATE REST
 W/LIFT-OFF BRACKET
 C BAG IN BOX STORAGE W/O DOORS
 D CUTOUT FOR OWNER SUPPLIED
 HEATED SHELF
 E CUTOUT FOR HEATED SHELF
 CONTROL PANEL
 F (1) INTERIOR RECEPTACLE
 G 120V 1Ø 14.7A NEMA 5-2Ø
 H CONTEMPORARY BREATH GUARD

SINGLE SIDE CAFETERIA
 WITH TOP SHELF
 WITH ADJUSTABLE FRONT PANEL
 45" S-S 22" T-B
 CAYENNE HEAT STRIP
 ON BOARD SWITCH

FINISHES AND MATERIALS

TOP : 14 GA SST
 BODY : LAMINATE TBD
 TRIM : 18 GA SST
 PLATE REST : 18 GA SST
 BREATH GRD : POLISHED SST







VOLTS	120		ELECTRICAL NEMA 5-2Ø
Ø AMP	1 14.7		

CRVMC		
CARVER MIDDLE SCHOOL		
TOLERANCE UNLESS OTHERWISE SPECIFIED		
2 PL. DEC.± .06	3 PL. DEC.± .031	ANGLES ± 1°



THE VOLLRATH CO., LLC

08-30-16
 COPYRIGHT 2016
 SHEBOYGAN, WI



SERVER 6 | QTY 1
COLD FOOD COUNTER
 60" S-S X 28" F-B X 34" HIGH
 A (1) 4" PAN COLD WELL
 B 4" CASTERS (2) W/BRAKES
 C CUSTOMER SIDE PLATE REST
 W/LIFT-OFF BRACKET
 D BAG IN BOX STORAGE W/O DOORS
 E CUSTOM HEIGHT STORAGE
 F (1) 1 1/2" DRAIN WITH BALL VALVE
 G 120V 1Ø 4.9A NEMA 5-15
 H CONTEMPORARY BREATH GUARD

SINGLE SIDE CAFETERIA
 WITH TOP SHELF
 WITH ADJUSTABLE FRONT PANEL
 59" S-S 22" T-B

Finishes And Materials

Top : 14 Ga SST
 Body : Laminate TBD
 Trim : 18 Ga SST
 Plate Rest : 18 Ga SST
 Breath Grd : Polished SST

VOLTS 120
 Ø 1
 AMP 4.9
 ELECTRICAL
 NEMA 5-15

PLUMBING CW: -
 HW: -
 WASTE: (1) Ø.5" INDIRECT

CRVMC

CARVER MIDDLE SCHOOL

TOLERANCE UNLESS OTHERWISE SPECIFIED

2 PL. DEC. ± .05 3 PL. DEC. ± .031 ANGLES ± 1°





08-30-16



COPYRIGHT 2016

THE VOLLRATH CO., LLC



SHEBOYGAN, WI



SERVER 7 | QTY 1
 UTILITY COUNTER
 60 S-S X 28 F-B X 34 HIGH
 A 4" CASTERS (2) W/BRAKES
 B CUSTOMER SIDE PLATE REST
 W/LIFT-OFF BRACKET
 C OPERATOR SIDE PLATE REST
 W/LIFT-OFF BRACKET
 D OPERATOR SIDE BAG IN BOX
 STORAGE W/ HINGED DOORS AND
 LOCK
 E CUSTOMER SIDE BAG IN BOX
 STORAGE W/ HINGED DOORS AND
 LOCK



FINISHES AND MATERIALS
 TOP : 16 GA SST
 BODY : LAMINATE TBD
 TRIM : 18 GA SST
 PLATE REST : 18 GA SST



CRVMC

CARVER MIDDLE SCHOOL

TOLERANCE UNLESS OTHERWISE SPECIFIED

2 PL. DEC. ± .06	3 PL. DEC. ± .031	ANGLES ± 1°
------------------	-------------------	-------------





08-30-16



COPYRIGHT 2016

THE VOLLRATH CO., LLC



SHEBOYGAN, WI









SERVER 8 | QTY 1
CASHIER STATION
 28 S-S X 28 F-B X 34 HIGH
 A 4" CASTERS (2) W/BRAKES
 B OPERATOR RH SIDE PLATE REST
 W/LIFT-OFF BRACKET
 C OPERATOR LH SIDE PLATE REST
 W/LIFT-OFF BRACKET
 D BAG IN BOX STORAGE W/O DOORS
 E 120V 1Ø 10.0A NEMA 5-15
 F RECEPTACLE AND CORD GROMMET



FINISHES AND MATERIALS
 TOP : 16 GA SST
 BODY : LAMINATE TBD
 TRIM : 18 GA SST
 PLATE REST : 18 GA SST



CRVMC		
CARVER MIDDLE SCHOOL		
TOLERANCE UNLESS OTHERWISE SPECIFIED		
2 PL. DEC. ± .06	3 PL. DEC. ± .031	ANGLES ± 1°
		08-30-16
THE VOLLRATH CO., LLC		COPYRIGHT 2016 SHEBOYGAN, WI



SERVER 9 | QTY 1
COLD FOOD COUNTER
 60" S-S X 28" F-B X 34" HIGH
 A (1) 4" PAN COLD WELL
 B 4" CASTERS (2) W/BRAKES
 C CUSTOMER SIDE PLATE REST
 W/LIFT-OFF BRACKET
 D BAG IN BOX STORAGE W/O DOORS
 E CUSTOM HEIGHT STORAGE
 F (1) 1 1/2" DRAIN WITH BALL VALVE
 G 120V 1Ø 4.9A NEMA 5-15
 H CONTEMPORARY BREATH GUARD

SINGLE SIDE CAFETERIA
 WITH TOP SHELF
 WITH ADJUSTABLE FRONT PANEL
 59" S-S 22" T-B

Finishes And Materials

Top : 14 Ga SST
 Body : Laminate TBD
 Trim : 18 Ga SST
 Plate Rest : 18 Ga SST
 Breath Grd : Polished SST

VOLTS 120
 Ø 1
 AMP 4.9



ELECTRICAL
 NEMA 5-15

PLUMBING CW: -
 HW: -
 WASTE: (1) Ø.5" INDIRECT

CRVMC

CARVER MIDDLE SCHOOL

TOLERANCE UNLESS OTHERWISE SPECIFIED

2 PL. DEC. ± .05 3 PL. DEC. ± .031 ANGLES ± 1°









08-30-16

COPYRIGHT 2016

THE VOLLRATH CO., LLC

SHEBOYGAN, WI



SERVER 10 | QTY 1
UTILITY COUNTER
 46 S-S X 28 F-B X 34 HIGH
 A 4" CASTERS (2) W/BRAKES
 B CUSTOMER SIDE PLATE REST
 W/LIFT-OFF BRACKET
 C BAG IN BOX STORAGE W/O DOORS
 D CUTOUT FOR OWNER SUPPLIED
 HEATED SHELF
 E CUTOUT FOR HEATED SHELF
 CONTROL PANEL
 F (1) INTERIOR RECEPTACLE
 G 120V 1Ø 14.7A NEMA 5-2Ø
 H CONTEMPORARY BREATH GUARD

SINGLE SIDE CAFETERIA
WITH TOP SHELF
WITH ADJUSTABLE FRONT PANEL
 45" S-S 22" T-B
 CAYENNE HEAT STRIP
 ON BOARD SWITCH

FINISHES AND MATERIALS

TOP : 14 GA SST
 BODY : LAMINATE TBD
 TRIM : 18 GA SST
 PLATE REST : 18 GA SST
 BREATH GRD : POLISHED SST

VOLTS 120
 Ø 1
 AMP 14.7



ELECTRICAL
 NEMA 5-2Ø

CRVMC

CARVER MIDDLE SCHOOL

TOLERANCE UNLESS OTHERWISE SPECIFIED

2 PL. DEC. ± .06 3 PL. DEC. ± .031 ANGLES ± 1°





08-30-16



COPYRIGHT 2016

THE VOLLRATH CO., LLC



SHEBOYGAN, WI



SERVER 11 | QTY 1
UTILITY COUNTER
 46 S-S X 28 F-B X 34 HIGH
 A 4" CASTERS (2) W/BRAKES
 B CUSTOMER SIDE PLATE REST
 W/LIFT-OFF BRACKET
 C BAG IN BOX STORAGE W/O DOORS
 D 120V 1Ø A NEMA 5-20



FINISHES AND MATERIALS
 TOP : 18 GA SST
 BODY : LAMINATE TBD
 TRIM : 18 GA SST
 PLATE REST : 18 GA SST



VOLTS 120
 Ø 1
 AMP 12.4 MAX







 ELECTRICAL
 NEMA 5-20

CRVMC
CARVER MIDDLE SCHOOL
 TOLERANCE UNLESS OTHERWISE SPECIFIED
 2 PL. DEC. ± .06 3 PL. DEC. ± .031 ANGLES ± 1°



THE VOLLRATH CO., LLC

08-30-16
 COPYRIGHT 2016
 SHEBOYGAN, WI



SERVER 12 | QTY 1
HOT FOOD COUNTER
30 S-S X 28 F-B X 34 HIGH
A CUSTOM COUNTER WIDTH
B 1 INDIVIDUAL HOT WELLS
C 4" CASTERS (2) W/BRAKES
D CUSTOMER SIDE PLATE REST
W/LIFT-OFF BRACKET
E TOUCH TEMP CONTROLS
F (1) 1 1/2" DRAIN WITH BALL VALVE
G 120V 1Ø 5.2A NEMA 5-15
H CONTEMPORARY BREATH GUARD

SINGLE SIDE CAFETERIA
WITH TOP SHELF
WITH ADJUSTABLE FRONT PANEL
29" S-S 22" T-B

FINISHES AND MATERIALS

TOP : 14 GA SST
 BODY : LAMINATE TBD
 TRIM : 18 GA SST
 PLATE REST : 18 GA SST
 BREATH GRD : POLISHED SST

VOLTS 120
 Ø 1
 AMP 5.2

 ELECTRICAL
 NEMA 5-15

PLUMBING CW: -
 HW: -
 WASTE: (1) Ø.5" INDIRECT

CRVMC

CARVER MIDDLE SCHOOL

TOLERANCE UNLESS OTHERWISE SPECIFIED







2 PL. DEC. ± .06 3 PL. DEC. ± .031 ANGLES ± 1°

VOLLRATH

08-30-16

THE VOLLRATH CO., LLC

COPYRIGHT 2016
 SHEBOYGAN, WI



SERVER 13 | QTY 1
HOT FOOD COUNTER
 60" S-S X 28" F-B X 34" HIGH
 A 4 INDIVIDUAL HOT WELLS
 B 4" CASTERS (2) W/BRAKES
 C CUSTOMER SIDE PLATE REST
 W/LIFT-OFF BRACKET
 D BAG IN BOX STORAGE W/O DOORS
 E TOUCH TEMP CONTROLS
 F (1) 1 1/2" DRAIN WITH BALL VALVE
 G 120V 1Ø 20.8A NEMA 5-3Ø
 H CONTEMPORARY BREATH GUARD

SINGLE SIDE CAFETERIA
 WITH TOP SHELF
 WITH ADJUSTABLE FRONT PANEL
 59" S-S 22" T-B

FINISHES AND MATERIALS

TOP : 14 GA SST
 BODY : LAMINATE TBD
 TRIM : 18 GA SST
 PLATE REST : 18 GA SST
 BREATH GRD : POLISHED SST

VOLTS 120
 Ø 1
 AMP 20.8
 60
 ELECTRICAL
 NEMA 5-3Ø

PLUMBING CW: -
 HW: -
 WASTE: (1) Ø.5" INDIRECT

CRVMC

CARVER MIDDLE SCHOOL

TOLERANCE UNLESS OTHERWISE SPECIFIED

2 PL. DEC. ± .06 3 PL. DEC. ± .031 ANGLES ± 1°





VOLLRATH

08-30-16

COPYRIGHT 2016

THE VOLLRATH CO., LLC

SHEBOYGAN, WI



SERVER 14 | QTY 1
UTILITY COUNTER
 60 S-S X 28 F-B X 34 HIGH
 A (1) 40886 REFRIGERATED DISPLAY
 B 4" CASTERS (2) W/BRAKES
 C CUSTOMER SIDE PLATE REST
 W/LIFT-OFF BRACKET
 D BAG IN BOX STORAGE W/O DOORS
 E (1) RECEPTACLE AND CORD
 GROMMET
 F 120V 1Ø 3.9A NEMA 5-15

FINISHES AND MATERIALS
 TOP : 14 GA SST
 BODY : LAMINATE TBD
 TRIM : 18 GA SST
 PLATE REST : 18 GA SST

VOLTS 120
 Ø 1
 AMP 3.9



60
 W I I
 ELECTRICAL
 NEMA 5-15

CRVMC
CARVER MIDDLE SCHOOL
 TOLERANCE UNLESS OTHERWISE SPECIFIED
 2 PL. DEC. ± .06 3 PL. DEC. ± .031 ANGLES ± 1°



08-30-16
 COPYRIGHT 2016
 SHEBOYGAN, WI

THE VOLLRATH CO., LLC



GENERAL NOTES - PLEASE READ

CONFIGURATION:

THESE DRAWINGS ARE TO BE USED IN CONJUNCTION WITH THE PREPARED QUOTATION AND MUST BE RECONCILED PRIOR TO RELEASE FOR FABRICATION.

DIMENSIONS:

ALL DIMENSIONS SHOWN ARE $\pm 1/4"$

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURE RESERVES THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

	CONNECTION POINT
	COLD WATER
	HOT WATER
	HOT + COLD WATER
	DRAIN
	POWER
	SWITCH
	CORD SET
	CONV OUTLET RECP
	DUPLEX RECPTACLE
	SINGLE RECPTACLE
	REFRIGERATION



CONFIDENTIAL DESIGN

The Vollrath Company, L.L.C. ("Vollrath") considers this new design proprietary and confidential. Due to the existing relationship of trust and good faith between Vollrath and Recipient, Vollrath is providing this proprietary and confidential design and related information to Recipient with the understanding that Recipient will maintain such design and information in secrecy and will not directly or indirectly use, disseminate, or otherwise disclose this proprietary and confidential information to any outside person or organization without the express written prior consent of The Vollrath Company, L.L.C.

08-30-2016

CRVMC		
CARVER MIDDLE SCHOOL		
TOLERANCE UNLESS OTHERWISE SPECIFIED		
2 PL. DEC. $\pm .06$	3 PL. DEC. $\pm .031$	ANGLES $\pm 1^\circ$
		08-30-16
THE VOLLRATH CO., LLC		COPYRIGHT 2016 SHEBOYGAN, WI