














CRVMS		
CARVER MS C-STORE		
TOLERANCE UNLESS OTHERWISE SPECIFIED		
2 PL. DEC. ± .06	3 PL. DEC. ± .031	ANGLES ± 1°
		08-27-16
THE VOLLRATH CO., LLC		COPYRIGHT 2016 SHEBOYGAN, WI




SERVER 1 | QTY 1
CASHIER STATION
 28 S-S X 28 F-B X 34 HIGH
 A 4" CASTERS (2) W/BRAKES
 B OPERATOR LH SIDE PLATE REST
 W/LIFT-OFF BRACKET
 C BAG IN BOX STORAGE W/O DOORS
 D 120V 1Ø 1Ø.ØA NEMA 5-15
 E RECEPTACLE AND CORD GROMMET





FINISHES AND MATERIALS

TOP : 16 GA SST
 BODY : LAMINATE TBD
 TRIM : 18 GA SST
 PLATE REST : 18 GA SST

VOLTS 120
 Ø 1
 AMP 1Ø.Ø



ELECTRICAL
 NEMA 5-15



CRVMS

CARVER MS C-STORE

TOLERANCE UNLESS OTHERWISE SPECIFIED



2 PL. DEC. ± .06 3 PL. DEC. ± .031 ANGLES ± 1°





08-27-16

THE VOLLRATH CO., LLC



COPYRIGHT 2016
 SHEBOYGAN, WI



SERVER 2 | QTY 1
UTILITY COUNTER
 60 S-S X 28 F-B X 34 HIGH
 A 4" CASTERS (2) W/BRAKES
 B CUSTOMER SIDE PLATE REST
 W/LIFT-OFF BRACKET
 C BAG IN BOX STORAGE W/O DOORS



FINISHES AND MATERIALS
 TOP : 16 GA SST
 BODY : LAMINATE TBD
 TRIM : 18 GA SST
 PLATE REST : 18 GA SST



CRVMS

CARVER MS C-STORE

TOLERANCE UNLESS OTHERWISE SPECIFIED

2 PL. DEC. ± .06 | 3 PL. DEC. ± .031 | ANGLES ± 1°









08-27-16

COPYRIGHT 2016

THE VOLLRATH CO., LLC

SHEBOYGAN, WI



SERVER 3 | QTY 1
COLD FOOD COUNTER
 46 S-S X 28 F-B X 34 HIGH
 A (1) 3 PAN NSF7 COLD WELL
 B 4" CASTERS (2) W/BRAKES
 C CUSTOMER SIDE PLATE REST
 W/LIFT-OFF BRACKET
 D (1) 1 1/2" DRAIN WITH BALL VALVE
 E 120V 1Ø 3.8A NEMA 5-15
 F CONTEMPORARY BREATH GUARD
 SINGLE SIDE CAFETERIA
 WITH TOP SHELF
 WITH ADJUSTABLE FRONT PANEL
 45" S-S 22" T-B

FINISHES AND MATERIALS
 TOP : 14 GA SST
 BODY : LAMINATE TBD
 TRIM : 18 GA SST
 PLATE REST : 18 GA SST
 BREATH GRD : POLISHED SST

VOLTS 120
 Ø 1
 AMP 3.8
 ELECTRICAL
 NEMA 5-15

PLUMBING CW: -
 HW: -
 WASTE: (1) Ø.5" INDIRECT

CRVMS

CARVER MS C-STORE

TOLERANCE UNLESS OTHERWISE SPECIFIED

2 PL. DEC. ± .06 3 PL. DEC. ± .031 ANGLES ± 1°







08-27-16

COPYRIGHT 2016



THE VOLLRATH CO., LLC

SHEBOYGAN, WI



SERVER 4 | QTY 1
UTILITY COUNTER
 60 S-S X 28 F-B X 34 HIGH
 A 4" CASTERS (2) W/BRAKES
 B CUSTOMER SIDE PLATE REST
 W/LIFT-OFF BRACKET
 C BAG IN BOX STORAGE W/O DOORS
 D (1) 40891 COUNTERTOP HEATED
 CABINET
 E 120V 1Ø 6.6A NEMA 5-15
 F RECEPTACLE AND CORD GROMMET
FINISHES AND MATERIALS

TOP : 14 GA SST
 BODY : LAMINATE TBD
 TRIM : 18 GA SST
 PLATE REST : 18 GA SST



VOLTS 120
 Ø 1
 AMP 6.6



ELECTRICAL
 NEMA 5-15

CRVMS

CARVER MS C-STORE

TOLERANCE UNLESS OTHERWISE SPECIFIED

2 PL. DEC. ± .06 3 PL. DEC. ± .031 ANGLES ± 1°



08-27-16

COPYRIGHT 2016

THE VOLLRATH CO., LLC

SHEBOYGAN, WI

GENERAL NOTES - PLEASE READ

CONFIGURATION:

THESE DRAWINGS ARE TO BE USED IN CONJUNCTION WITH THE PREPARED QUOTATION AND MUST BE RECONCILED PRIOR TO RELEASE FOR FABRICATION.

DIMENSIONS:

ALL DIMENSIONS SHOWN ARE $\pm 1/4"$

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURE RESERVES THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

	CONNECTION POINT
	COLD WATER
	HOT WATER
	HOT + COLD WATER
	DRAIN
	POWER
	SWITCH
	CORD SET
	CONV OUTLET RECP
	DUPLEX RECPTACLE
	SINGLE RECPTACLE
	REFRIGERATION



CONFIDENTIAL DESIGN

The Vollrath Company, L.L.C. ("Vollrath") considers this new design proprietary and confidential. Due to the existing relationship of trust and good faith between Vollrath and Recipient, Vollrath is providing this proprietary and confidential design and related information to Recipient with the understanding that Recipient will maintain such design and information in secrecy and will not directly or indirectly use, disseminate, or otherwise disclose this proprietary and confidential information to any outside person or organization without the express written prior consent of The Vollrath Company, L.L.C.

08-26-2016

08-27-2016

CRVMS		
CARVER MS C-STORE		
TOLERANCE UNLESS OTHERWISE SPECIFIED		
2 PL. DEC. $\pm .06$	3 PL. DEC. $\pm .031$	ANGLES $\pm 1^\circ$
		08-27-16
THE VOLLRATH CO., LLC		COPYRIGHT 2016 SHEBOYGAN, WI