







PLAN VIEW



PLAN VIEW




GAS CONNECTION #: 1
LOCATED IN ITEM: 1
PIPE SIZE: Ø.75 NPT
CP HEIGHT: 32" AFF
TOTAL GAS LOAD: 135 MBTU
INCLUDES ITEMS: 1
NOTE:

GAS CONNECTION #: 2
LOCATED IN ITEM: 5
PIPE SIZE: 1.25 NPT
CP HEIGHT: 32" AFF
TOTAL GAS LOAD: 215 MBTU
INCLUDES ITEMS: 5 4 3
NOTE:

1	1 EA	VIFT36S	RANGE
🔥	135 MBTU	1.25	32 AFF
2	1 EA	VOVER-42ST	STUB BACK
	1 EA	FRTTOP-42WLD	FRONT TOP
3	1 EA	VIFT18	RANGE
🔥	25 MBTU	1.25	MANIFOLD
4	1 EA	VS0136	OVEN BASE
🔥	50 MBTU	Ø.75	INTERPLUMB
5	1 EA	V4B24B	RANGE
🔥	140 MBTU	1.25	32 AFF

ELEVATION




VH-CTARP
COPYRIGHT (C) 2021

VULCAN

SHARON STEPHAN
CTARP

COHATCH TARPPIN
01-21-22

SEE VIEW




VH-CTARP
COPYRIGHT (C) 2021

 **VULCAN**

SHARON STEPHAN
CTARP

COHATCH TARPPIN
01-21-22

SSW VIEW




VH-CTARP
COPYRIGHT (C) 2021

VULCAN

SHARON STEPHAN
CTARP

COHATCH TARPPIN
01-21-22

CONNECTIONS



YH-CTARP

COPYRIGHT (C) 2021

 VULCAN

SHARON STEPHAN
CTARP

COHATCH TARPPIN

12-20-21

GENERAL NOTES - PLEASE READ**VENTILATION:**

ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRESSION:

ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:



















EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (14" W.C.)

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURER RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

	CONNECTION POINT
	COLD WATER
	HOT WATER
	HOT + COLD WATER
	DRAIN
	POWER
	SWITCH
	CORD SET
	CONV OUTLET RECP
	DUPLEX RECPTACLE
	SINGLE RECPTACLE
	GAS
	STEAM SUPPLY
	STEAM RETURN
	STEAM TAKE OFF
	EXHAUST VENT
	SUPPLY VENT
	REFRIGERATION

12-20-2021

12-20-2021 : 08:21:29a

01-21-2022 : 09:15:53a

Sharon Stephan
E. RUFF AND ASSOCIATES

PROJECT CODE

CTARP

v. 513-530-0061

Email : sstephan@eruffassoc.com