






PLAN VIEW



VH-FIGRO
COPYRIGHT (C) 2021

VULCAN

STEVE BAUER
FIGRO

CAFE FIGARO

11-04-21

| | | | | |
|----|---|----------|--------|--------------------|
| | 1 | 1 EA | VCS18 | CHEF STATION |
| ⚡ | | 208 (3) | 25.0A | 12 AFF |
| CW | | 0.50 | 12 AFF | |
| IW | | 1.00 | 12 AFF | |
| | 2 | 1 EA | 1GR85M | FRYER |
| 🔥 | | 150 MBTU | 0.50 | 12 AFF |
| | 3 | 1 EA | V6B36C | RANGE |
| 🔥 | | 242 MBTU | 1.25 | 32 AFF |
| ⚡ | | 120 (1) | 4.0A | 5-15 |
| | 4 | 1 EA | V1FT1B | RANGE |
| 🔥 | | 25 MBTU | 1.25 | MANIFOLD |
| | 5 | 1 EA | V6B36S | RANGE |
| 🔥 | | 260 MBTU | 1.25 | MANIFOLD |
| | | 1 EA | 36IRB | SALAMANDER |
| 🔥 | | 30 MBTU | 0.75 | INTERPLUMB |
| | 6 | 1 EA | VCBB36 | CHRA BROILER |
| 🔥 | | 99 MBTU | 1.25 | 32 AFF END CONNECT |
| | | 1 EA | VSC36 | REFRIG BASE |
| ⚡ | | 120 (1) | 6.7A | 5-15 |

VH-FIGRO

COPYRIGHT (C) 2021


 VULCAN

STEVE BAUER
FIGRO

CAFE FIGARO

11-04-21

CONNECTIONS



VH-FIGRO

COPYRIGHT (C) 2021


VULCAN

STEVE BAUER
FIGRO

CAFE FIGARO

11-04-21

ELEVATION




VH-FIGRO
COPYRIGHT (C) 2021

 **VULCAN**

STEVE BAUER
FIGRO

CAFE FIGARO
11-04-21

6SE VIEW




VH-FIGRO
COPYRIGHT (C) 2021

 **VULCAN**

STEVE BAUER
FIGRO

CAFE FIGARO
11-04-21

SSW VIEW



VH-FIGRO
COPYRIGHT (C) 2021

 **VULCAN**

STEVE BAUER
FIGRO

CAFE FIGARO
11-04-21

GENERAL NOTES - PLEASE READ**VENTILATION:**

ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRESSION:

ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:



















EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (14" W.C.)

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURER RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

| | |
|---|------------------|
|  | CONNECTION POINT |
|  | COLD WATER |
|  | HOT WATER |
|  | HOT + COLD WATER |
|  | DRAIN |
|  | POWER |
|  | SWITCH |
|  | CORD SET |
|  | CONV OUTLET RECP |
|  | DUPLEX RECPTACLE |
|  | SINGLE RECPTACLE |
|  | GAS |
|  | STEAM SUPPLY |
|  | STEAM RETURN |
|  | STEAM TAKE OFF |
|  | EXHAUST VENT |
|  | SUPPLY VENT |
|  | REFRIGERATION |

11-04-2021

11-04-2021 : 06:49:47a

Steve Bauer
 POSTERNAK BAUER
 479 White Plains Road
 Eastchester, NY 10709
 v. 914-793-9000

Email : sb@pbacrep.com

PROJECT CODE

FIGRO