
















HOLLM	
HOLLOMAN ES	
 THE VOLLRATH CO., LLC	03-28-21
	COPYRIGHT 2021
	SHEBOYGAN, WI



Server 44 : Qty 1
Utility Counter
A Custom Counter Depth
B Line Up Locks
C Casters : 4" (2) w/Brakes
D Skirt : SST Toe Kick Alls
E Storage Shelf w/o Doors
F With Intermediate Shelf
G Contemporary Breath Guard
NSF Single Side Cafeteria
With Top Shelf
Full Width S-S
End Panels Both Sides
Cafeteria Style End Panels

Finishes And Materials
Top : ** 14 Ga SST
Body : ** 18 Ga SST
Trim : Standard SST
Skirt : 18 Ga SST
Breath Grd : Brushed SST







HOLLM

HOLLOMAN ES

VOLLRATH

THE VOLLRATH CO., LLC

03-28-21
COPYRIGHT 2021
SHEBOYGAN, WI



Server 45 1 Qty 1
 Hot Food Counter
 A 5 Individual Induction
 Hot Wells
 B Custom Counter Depth
 C Line Up Locks
 D Casters : 4" (2) w/Brakes
 E Skirt : SST Toe Kick Alls
 F Operator Side Plate Rest
 w/ Lift-off Bracket
 G Storage Shelf w/o Doors
 H Controls : 3 Level Per
 Well
 I Contemporary Breath Guard
 NSF Single Side Cafeteria
 With Top Shelf
 Full Width S-S
 Cayenne Heat Strip
 On Board Switch
 End Panels Both Sides
 Cafeteria Style End Panels

Finishes And Materials

Top : ** 14 Ga SST
 Body : ** 18 Ga SST
 Trim : Standard SST
 Skirt : 18 Ga SST
 Plate Rest : 18 Ga SST
 Breath Grd : Brushed SST

VOLTS 208
 1
 23.1A
 GO
 ELECTRICAL
 NEMA 6-30

Equipment	Voltage	L1Amp	L2Amp
Hot Wells	208	16.5	16.5
Heta Strip	208	6.6	6.6
Total Amps		23.1	23.1

HOLLM

HOLLOMAN ES





03-28-21



COPYRIGHT 2021

THE VOLLRATH CO., LLC



SHEBOYGAN, WI



Server 46 1 Qty 1
Utility Counter
A Custom Counter Depth
B Line Up Locks
C Casters : 4" (2) w/Brakes
D Skirt : SST Toe Kick Alls
E Customer Side V Rib Tray
Slide w/ Lift-off Brackets
F Storage Shelf w/o Doors
G With Intermediate Shelf



Finishes And Materials
Top : 16 Ga SST
Body : ** 18 Ga SST
Trim : Standard SST
Skirt : 18 Ga SST
Tray Rail : 18 Ga SST









HOLLM

HOLLOMAN ES

VOLLRATH

THE VOLLRATH CO., LLC

03-28-21
COPYRIGHT 2021
SHEBOYGAN, WI



Server 47 1 Qty 1
 Cold Food Counter
 A (1) 4 Pan Nsf7 Cold Well
 B Custom Counter Depth
 C Line Up Locks
 D Casters : 4" (2) w/Brakes
 E Skirt : SST Toe Kick Alls
 F Customer Side V Rib Tray
 Slide w/ Lift-off Brackets
 G Storage Shelf w/o Doors
 H Drain : 1 1/2" w/ Ball Valve
 I Contemporary Breath Guard

NSF Single Side Buffet
 With Top Shelf
 Full Width S-S
 End Panels Both Sides
 Buffet Style End Panels

Finishes And Materials

Top : ** 14 Ga SST
 Body : ** 18 Ga SST
 Trim : Standard SST
 Skirt : 18 Ga SST
 Tray Rail : 18 Ga SST
 Breath Grd : Brushed SST

VOLTS 120 60 ELECTRICAL
 1 1/2 1/2
 7.5 A NEMA 5-15

PLUMBING CW: -
 HW: -
 WASTE: (1) Ø.5" INDIRECT

HOLLM

HOLLOMAN ES





03-28-21



COPYRIGHT 2021

THE VOLLRATH CO., LLC



SHEBOYGAN, WI



Server 48 1 Qty 1
Utility Counter
A Custom Counter Depth
B Line Up Locks
C Casters : 4" (2) w/Brakes
D Skirt : SST Toe Kick Alls
E Customer Side V Rib Tray
Slide w/ Lift-off Brackets
F End Oriented Cashier
Opening
G Cash Drawer
H Receptacle And Cord
Grommet



Finishes And Materials
Top : 16 Ga SST
Body : ** 18 Ga SST
Trim : Standard SST
Skirt : 18 Ga SST
Tray Rail : 18 Ga SST



VOLTS 120 60 ELECTRICAL
Ø 1 1w I
10.0 Max A NEMA 5-15

HOLLM

HOLLOMAN ES

VOLLRATH

THE VOLLRATH CO., LLC

03-28-21

COPYRIGHT 2021
SHEBOYGAN, WI

GENERAL NOTES - PLEASE READ

CONFIGURATION:

THESE DRAWINGS ARE TO BE USED IN CONJUNCTION WITH THE PREPARED QUOTATION AND MUST BE RECONCILED PRIOR TO RELEASE FOR FABRICATION.

DIMENSIONS:

ALL DIMENSIONS SHOWN ARE $\pm 1/4"$

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURE RESERVES THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

	CONNECTION POINT
	COLD WATER
	HOT WATER
	HOT + COLD WATER
	DRAIN
	POWER
	SWITCH
	CORD SET
	CONV OUTLET RECP
	DUPLEX RECPTACLE
	SINGLE RECPTACLE
	REFRIGERATION



CONFIDENTIAL DESIGN

The Vollrath Company, L.L.C. ("Vollrath") considers this new design proprietary and confidential. Due to the existing relationship of trust and good faith between Vollrath and Recipient, Vollrath is providing this proprietary and confidential design and related information to Recipient with the understanding that Recipient will maintain such design and information in secrecy and will not directly or indirectly use, disseminate, or otherwise disclose this proprietary and confidential information to any outside person or organization without the express written prior consent of The Vollrath Company, L.L.C.

03-28-2021

03-28-2021 : 09:43:42a

03-28-2021 : 09:48:10a

HOLLM

HOLLOMAN ES



THE VOLLRATH CO., LLC

03-28-21

COPYRIGHT 2021
SHEBOYGAN, WI