

Quote 04/16/2021

To: TriMark Hockenbergs- Omaha Brian Faust 14063 Cornhusker Road Omaha, NE 68138 402-339-8900 (402)339-8900 0000 (Contact) Project: Company Kitchen Intrado Project From: Vollrath Company LLC Robert Walsh 1236 North 18th Street PO Box 611 Sheboygan, WI 53081 920-457-4851 800-342-4078 6612 (Contact)

\* Quote effective for immediate shipment. Pricing Valid through 6/30/21 Discount 50/10

\* All prices are subject to change without notice; orders placed for future delivery will be invoiced at <u>prices in effect at the time of shipment</u>.

\* All items are FOB Point of Origin. All orders for \$3,000.00 NET or more shipping to one location will be shipped PREPAID by VOLLRATH within the continental limits of the U.S. Carrier chosen by Vollrath.

\* Guaranteed delivery dates, dedicated carriers, or other special freight requests are not included in program and will be charged back to customer.

\* Lift Gate and Installation NOT INCLUDED by Vollrath.

\* V-CLASS CUSTOM ITEMS ARE NOT PART OF THE PRE-PAID FREIGHT PROGRAM.

\* Prices shown are for full case lot quantities. A \$5.00 net fee will be charged for each line on any purchase order that is not for full case quantities.

\* A \$15.00 minimum order charge will be added to orders under \$100.00 NET.

\* All Standard Terms and Conditions apply as stated on the Vollrath Website at <u>https://vollrath.com/terms-conditions-sale</u>

\* Non-returnable items include, but are not limited to, ware washing racks, Lid Saver, heat strips, plate covers and custom made products. All other items incur a 25% re-stocking fee.

\* On all custom equipment orders, Vollrath will provide drawings for your approval. Leadtime starts when approved drawings are received. Custom built units require 6 to 10 weeks to build, depending on product and level of complexity.

\* IMPORTANT: Purchasers of breath guards, there is a new NSF2 Breath Guard Standard Effective 1/1/2011. Vollrath offers both NSF2 and non-NSF version breath guards. It is the sole responsibility of the purchaser as to which item they purchase. Vollrath is not responsible for any action required to meet local health inspection standards.

\* Equipment built to Vollrath standard specifications, including materials, sizes, and construction methods unless otherwise specified below.

\* Please provide quote when ordering and reference quote number when placing orders.

Item Qty Description Sell Sell Total

		Vollrath Company LLC		04/16/2021
1	1 ea	SERVING COUNTER, COLD FOOD	\$6,478.97	\$6,478.97
		Vollrath Model No. 37076		
105.25	and the second second	4-Series Signature Server <sup>®</sup> Stainless Steel Countertop with NSF7 Cold		
		Station, self contained refrigeration, 74"W x 28"D x 34"H,		
0		Bloomington-style recessed well displays pans 3" below work surface,		
		coils surround sidewalls, accommodates 6" deep pans, polyurethane		
		foam insulation, standard well drains, seamless display pan well opening 19-7/8" x 63" x 6-5/8" deep, 1/3 HP, 7.2 amps, NEMA 5-15P,		
		120v/60/1-ph, cULus, NSF, Made in USA		
	1 ea	1 year warranty against defects in materials & workmanship		
		SS4CASTERS 4-Series Signature Server <sup>®</sup> Swivel Casters, 4"H, (2) braked,		
	100	standard		
	1 ea	STANDARD BLACK Black Laminate, standard, nc		
	1 ea	89283 Traditional Breath Guard, single-sided buffet with top shelf, 1/4	\$2,191.19	\$2,191.19
		thick tempered glass secured in thick fitting channel with 1-1/2"		
		extruded aluminum, for use with Vollrath (5) well 4-Series Signature		
		Server <sup>®</sup> with stainless steel countertops, units, mount to stainless		
		steel solid surface (note: requires 14 gauge stainless steel solid surface), 1-year warranty, Made in USA, contact Vollrath for		
		dimensions		
	1 ea	9879305 Upgrade to 14 gauge stainless steel work surface for, 74"W 4-	\$484.97	\$484.97
		Series Signature Server <sup>®</sup> Cold Pan (required for this breath guard)	·	·
	1 ea	99 Aluminum finish, standard		
	1 ea	NO LIGHT OR HEAT No lights or heating, standard, no charge		
	1 ea	120v/60/1-ph		
	1 ea	3752450-2-C 4-Series Signature Server® V-rib Tray Slide, for customer	\$678.06	\$678.06
		side, 74"W x 12"D, fold-down/lift-off brackets	TOTAL	¢0.022.40
2	1 62	SERVING COUNTER, UTILITY	<b>1 TOTAL:</b> \$3,002.67	<b>\$9,833.19</b> \$3,002.67
Z	I Ca	Vollrath Model No. M-37023	<i>\$3,002.07</i>	<b>J</b> J,002.07
		4-Series Signature Server <sup>®</sup> Utility Serving Counter, 74"W x 28"D x 34"H,		
		16/300 series stainless steel top with 1" turndown on all sides,		
	<b>N</b>	enclosed base, 18/400 series stainless steel unibody construction,		
		cULus, NSF, Made in USA		
		Modified Base - Modifications Include:		
		- Unit to Accept Vollrath Item 3640751 - Four Well Hot (Operator Right)		
		- Unit to Accept Vollrath Item 741101D - Induction Soup Rethermalizer		
		(Operator Left)		
	1 ea	1 year warranty against defects in materials & workmanship		
		SS4CASTERS 4-Series Signature Server <sup>®</sup> Swivel Casters, 4"H, (2) braked,		
		standard		
	1 ea	STANDARD BLACK Black Laminate, standard, nc		
	1 ea	89283 Traditional Breath Guard, single-sided buffet with top shelf, 1/4	\$2,191.19	\$2,191.19
		thick tempered glass secured in thick fitting channel with 1-1/2"		
		extruded aluminum, for use with Vollrath (5) well 4-Series Signature		
		Server <sup>®</sup> with stainless steel countertops, units, mount to stainless steel solid surface (note: requires 14 gauge stainless steel solid		
		surface), 1-year warranty, Made in USA, contact Vollrath for		
		dimensions		
				Initial:

Page 2 of 3

ItemQtyDescription1 ea9879505 Upgrade to 14 gauge stainless steel work surfaceries Signature Server® Utility Station (required for the 1 ea1 ea99 Aluminum finish, standard1 eaNO LIGHT OR HEAT No lights or heating, standard, no clisted1 ea3752450-2-C 4-Series Signature Server® V-rib Tray Slideside, 74"W x 12"D, fold-down/lift-off brackets1 ea98778 Unit modified for 11qt soup well, installed in OPspace, controls mounted in base, for 4-Series SignatureModification charge only, does not include equipment11qt soup drop-in (any model) and open counter spaceavailable1 ea741101D Mirage® Induction Rethermalizer, drop-in, droguart, inset with hinged cover, (4) soup presets, stir in solid state controls with locking function, temperature °C, cabinet mount controls with leads, includes: induct inset cover, mounting hardware & cord with NEMA 5-1 6.7 amps, 120v/60/1-ph, cULus, NSF, FCC (cover not NS1 eaRequires use of included Vollrath induction-ready inset these insets may damage the unit & will void the ward 1 ea47492 Decorative Ring, for 11 qt. induction soup drop in stainless steel	harge e, for customer PEN counter e Server <sup>®</sup> , NOTE: - you must add e must be y operation, 11 dicator LED, control in °F or	Sell \$420.62 \$678.06 \$476.91 \$540.68	Sell Total \$420.62 \$678.06 \$476.91 \$540.68
<ul> <li>Series Signature Server® Utility Station (required for the 99 Aluminum finish, standard</li> <li>1 ea NO LIGHT OR HEAT No lights or heating, standard, no clied 3752450-2-C 4-Series Signature Server® V-rib Tray Slide side, 74"W x 12"D, fold-down/lift-off brackets</li> <li>1 ea 98778 Unit modified for 11qt soup well, installed in OP space, controls mounted in base, for 4-Series Signature Modification charge only, does not include equipment 11qt soup drop-in (any model) and open counter space available</li> <li>1 ea 741101D Mirage® Induction Rethermalizer, drop-in, droguart, inset with hinged cover, (4) soup presets, stir in solid state controls with locking function, temperature °C, cabinet mount controls with leads, includes: induction inset cover, mounting hardware &amp; cord with NEMA 5-1 6.7 amps, 120v/60/1-ph, cULus, NSF, FCC (cover not NS 1 ea Requires use of included Vollrath induction-ready inset these insets may damage the unit &amp; will void the warr 1 ea 47492 Decorative Ring, for 11 qt. induction soup drop in</li> </ul>	harge e, for customer PEN counter e Server <sup>®</sup> , NOTE: - you must add e must be y operation, 11 dicator LED, control in °F or	\$678.06 \$476.91	\$678.06 \$476.91
<ul> <li>1 ea NO LIGHT OR HEAT No lights or heating, standard, no cl</li> <li>1 ea 3752450-2-C 4-Series Signature Server® V-rib Tray Slide side, 74"W x 12"D, fold-down/lift-off brackets</li> <li>1 ea 98778 Unit modified for 11qt soup well, installed in OP space, controls mounted in base, for 4-Series Signature Modification charge only, does not include equipment 11qt soup drop-in (any model) and open counter space available</li> <li>1 ea 741101D Mirage® Induction Rethermalizer, drop-in, dry quart, inset with hinged cover, (4) soup presets, stir in solid state controls with locking function, temperature °C, cabinet mount controls with leads, includes: inductinset cover, mounting hardware &amp; cord with NEMA 5-1 6.7 amps, 120v/60/1-ph, cULus, NSF, FCC (cover not NS 1 ea Requires use of included Vollrath induction-ready inset these insets may damage the unit &amp; will void the warr</li> <li>1 ea 47492 Decorative Ring, for 11 qt. induction soup drop in</li> </ul>	e, for customer PEN counter e Server <sup>®</sup> , NOTE: - you must add e must be y operation, 11 dicator LED, control in °F or	\$476.91	\$476.91
<ul> <li>1 ea 3752450-2-C 4-Series Signature Server® V-rib Tray Slide side, 74"W x 12"D, fold-down/lift-off brackets</li> <li>1 ea 98778 Unit modified for 11qt soup well, installed in OP space, controls mounted in base, for 4-Series Signature Modification charge only, does not include equipment 11qt soup drop-in (any model) and open counter space available</li> <li>1 ea 741101D Mirage® Induction Rethermalizer, drop-in, dry quart, inset with hinged cover, (4) soup presets, stir in solid state controls with locking function, temperature °C, cabinet mount controls with leads, includes: induction inset cover, mounting hardware &amp; cord with NEMA 5-1 6.7 amps, 120v/60/1-ph, cULus, NSF, FCC (cover not NS 1 ea Requires use of included Vollrath induction-ready inset these insets may damage the unit &amp; will void the warr.</li> <li>1 ea 47492 Decorative Ring, for 11 qt. induction soup drop in</li> </ul>	e, for customer PEN counter e Server <sup>®</sup> , NOTE: - you must add e must be y operation, 11 dicator LED, control in °F or	\$476.91	\$476.91
<ul> <li>space, controls mounted in base, for 4-Series Signature Modification charge only, does not include equipment 11qt soup drop-in (any model) and open counter space available</li> <li>1 ea 741101D Mirage<sup>®</sup> Induction Rethermalizer, drop-in, dra quart, inset with hinged cover, (4) soup presets, stir in solid state controls with locking function, temperature °C, cabinet mount controls with leads, includes: induction inset cover, mounting hardware &amp; cord with NEMA 5-1 6.7 amps, 120v/60/1-ph, cULus, NSF, FCC (cover not NS 1 ea Requires use of included Vollrath induction-ready inset these insets may damage the unit &amp; will void the warr 1 ea 47492 Decorative Ring, for 11 qt. induction soup drop in</li> </ul>	e Server <sup>®</sup> , NOTE: - you must add e must be y operation, 11 dicator LED, c control in °F or		
<ul> <li>quart, inset with hinged cover, (4) soup presets, stir in solid state controls with locking function, temperature °C, cabinet mount controls with leads, includes: induct inset cover, mounting hardware &amp; cord with NEMA 5-1 6.7 amps, 120v/60/1-ph, cULus, NSF, FCC (cover not NS 1 ea Requires use of included Vollrath induction-ready inset these insets may damage the unit &amp; will void the warr 1 ea 47492 Decorative Ring, for 11 qt. induction soup drop in</li> </ul>	dicator LED, control in °F or	\$540.68	\$540.68
these insets may damage the unit & will void the warr 1 ea 47492 Decorative Ring, for 11 qt. induction soup drop in	5P, 800 watts,		
stamess steel	n units, 22 gauge	\$46.53	\$46.53
<ul> <li>1 ea 3640751 Hot Food Well Unit, Drop-In, electric, (4) 12" x 20 gauge stainless steel insulated wells, 54-3/4"W x 26 (overall), wet operation only, individual infinite contropanel with cord, power indicator light, drip-free flange manifold drain with individual well shutoffs &amp; manifol gauge stainless steel top, 18 gauge galvanized exterior includes positioning clips, 4000 watts, 208-240v/60/1-p amps, cord with NEMA 6-30P, NSF, cULus, Made in USA 1/4"D cutout size, requires 7/8" corner radius)</li> </ul>	"D x 21-1/2"H ols mounted in e, 1" copper d shutoff, 18 housing, h, 14.4-16.7	\$2,344.37	\$2,344.37
	ITEM	TOTAL:	\$9,701.03
	Total		\$19,534.22
Prices Good Until: 06/30/202	1		
Robert Walsh, District Sales Manager			
Acceptance:	Date:		
Printed Name:			

Project Grand Total: \$19,534.22