



27	1 EA	VG-40	BRAISING PAN
120 MBTU	0.75	12 AFF	
CW	0.50	16 AFF	
HW	0.50	16 AFF	
120 (1)	9.0	5-15	
28	1 EA	46CBB	RANGE
275 MBTU	0.75	14 AFF	
120 (1)	4.0A	5-15	
29	1 EA	C24GAS	STEAMER
125 MBTU	0.75	14 AFF	
120 (1)	2.0A	10 AFF	
CW	0.50	10 AFF	
CW	0.50	34 AFF	FILTERED
IW	1.0	12 AFF	
30	2 EA	VC6SGD	CONVECTION OVEN
100 MBTU	0.72	12 AFF	
120 (1)	15.4A	5-20	(2) CIRCUITS

#### GENERAL NOTES - PLEASE READ

VENTILATION:  
ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRESSION:  
ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:  
ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:  
EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (4" W.C.)

BY OTHERS:  
VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:  
IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURERS RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

●	CONNECTION POINT
○	COLD WATER
○	FILTERED WATER
○	HOT WATER
○	HOT + COLD WATER
○	DRAIN
○	POWER
○	SWITCH
○	CORV OUTLET RECP
○	DUPLEX RECP/TACLE
○	SINGLE RECP/TACLE
○	GAS
○	STEAM SUPPLY
○	STEAM RETURN
○	EXHAUST VENT
○	SUPPLY VENT
○	REFRIGERATION

01-26-2021  
01-26-2021 : 03:18:59p  
01-26-2021 : 03:21:41p  
12-16-2021 : 01:51:42p  
06-10-2022 : 08:03:17a  
06-10-2022 : 08:10:39a  
08-06-2022 : 01:33:37a

PROJECT CODE  
KIPSB

**VULCAN**  
THE VULCAN HART COMPANY  
BALTIMORE, MARYLAND  
410-284-0660

PBAC  
Submittal

REVISIONS	By	Date	Revision
	ddb	10/12/2022	LARGE FORMAT

KIPP 2720 Jerome Avenue

SCALE:  
AS NOTED  
DATE: 7/21/2021  
DRAWN BY: DDB  
VH-KIPSB