





CONNECTIONS






CONNECTIONS



1 1 EA VEG5ØM	FRYER
85 MBTU Ø.75	12 AFF
2 1 EA 6ØSS6B24	RANGE
	32 AFF




ELEVATION






SSE VIEW





SSW YIEW





GENERAL NOTES - PLEASE READ

VENTILATION:

ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRIESSION:

ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:

EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (14" W.C.)

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURES RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

01-13-2022

Ol-13-2022 : 06:59:29a Ol-13-2022 : 08:27:07a Ol-13-2022 : 12:30:55p Ol-13-2022 : 12:32:06p CONNECTION POINT

C COLD WATER

(H) HOT WATER

HOT + COLD

(D) DRAIN

POWER

\$ SWITCH

CORD SET

© CONV OUTLET RECP

DUPLEX RECPTACLE

SINGLE RECPTACLE

(A) GAS

(SS) STEAM SUPPLY

(CR) STEAM RETURN

(ST) STEAM TAKE OFF

VE EXHAUST VENT

VS SUPPLY VENT

(RF) REFRIGERATION

PROJECT CODE

LACAT

VH-LACAT

COPYRIGHT (C) 2022

