





CONNECTIONS




1 1 EA VWT18B	SPREADER	
Ø MBTU 1.25	MANIFOLD	
2 1 EA VGMT36C	RANGE	
140 MBTU 1.25	32 AFF	
120(1) 4.9A	5-15	
3 1 EA VWTØ6B	SPREADER	
	MANIFOLD	
4 1 EA 36RB	SALAMANDER	WALL MOUNT
	78 AFF	




ELEVATION













GENERAL NOTES - PLEASE READ

VENTILATION:

ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRIESSION:

ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION. SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:

EXTERNAL GAS REGULATORS. FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (I4" W.C.)

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURES RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

CONNECTION POINT

(C) COLD WATER

(H) HOT WATER

HOT + COLD WATER

(D) DRAIN

(f) POWER

<\$> SWITCH

d CORD SET

(C≠ CONV OUTLET RECP

DUPLEX RECPTACLE

SINGLE RECPTACLE

(A) GAS

(SS) STEAM SUPPLY

(CR) STEAM RETURN

(ST) STEAM TAKE OFF

VE EXHAUST VENT

VS SUPPLY VENT

(RF) REFRIGERATION

03-21-2021 03-21-2021: 07:37:06a

> Roxanne Holt YULCAN HART COMPANY 3600 North Point Blyd Baltimore, MD 21222 v. 410-282-4322

PROJECT CODE MAKA1

Email:roxanne.holt@yulcanhart.com

VH-MAKA1 COPYRIGHT (C) 2021



ROXANNE HOLT MAKA1