

To: Gold Star Products Jeffrey Applebaum 21680 Coolidge Hwy. Oak Park, MI 48237-3109 248-548-9840 7500 (248)548-9840 7510 (Contact) 248-548-9844 (Fax) jeffa@goldstarmail.com		um Hwy. 237-3109 500 7510 (Contact)	38 I 3 3 ( (	From: HRI Inc St. Clair Shores Steve Amos 20515 Stephens St. St Clair Shores, MI 48080 (586) 771-0335 (734)674-3354 (Contact) (586) 771-3083 (Fax) steve@hri-inc.com		1
Item	Qty		escription		Net	Net Total
11.1	1 ea	iron grates, storage base, cabi	ers s, 24", (4) 35,000 BTU open burr net doors, stainless steel front, & stub back, 140,000 BTU, 6" ac	front top	\$4,757.98	\$4,757.98
	1 ea	1 year limited parts & labor wa	arranty, standard			
	1 ea	LP gas (specify elevation if over	•			
	1 ea	PRESREG-LP11/4 1-1/4" NPT p	ressure regulator (LP gas)		\$302.94	\$302.94
	1 ea	1-1/4" rear gas connection, sta	ndard			
	1 ea	Rear gas connection: open				
	1 ea	FRTTOP-78WLD Front Top Led	ge, 78" overlapping & welded			
	1 ea	22SFS60 Overlapping Single-d	eck flow-thru, hi-shelf, 22" high	, 60"	\$1,905.82	\$1,905.82
	1 st	CASTERS-RR4 Casters, 5" (set of	of 4) (2 with locks)		\$360.97	\$360.97
				ITEN	M TOTAL:	\$7,327.71
11	1 ea 1 ea 1 ea	iron grates, convection oven, sides, base, burner box & stub CSA, NSF  1 year limited parts & labor was	s, 36", (6) 35,000 BTU open burr stainless steel front, front top I back, 6" adjustable legs, 242,00 arranty, standard	edge,	\$10,815.52	\$10,815.52
	1 ea	NOTE: A regulator must be us	•			
	1 ea	1-1/4" front manifold connect				
	1 ea	Front manifold: cap & cover, r				
	1 ea	•	otor voltage, cord & plug, standa	ard		
		4" stepped-up rear burner, 12	<b>3</b> , , , , , , , , , , , , , , , , , , ,		\$175.26	\$525.78
		Fan cooling package			\$283.59	\$283.59
		-				

Item	Qty	Description	Net	Net Total	
	1 ea	VOVER-72ST Stub Riser, 4", overlapping, for 72" ranges	\$968.77	\$968.77	
	1 st	CASTERS-RR4 Casters, 5" (set of 4) (2 with locks)	\$360.97	\$360.97	
		1	TEM TOTAL:	\$12,954.63	
11.2	1 ea	<b>HD RANGE, 18", WORK TOP</b> \$3,175.60		\$3,175.60	
		Vulcan Model No. VWT18B			
		V Series Heavy Duty Range, 18", work top, storage base with cabinet			
		doors, stainless steel front, front top ledge, side, base, burner box 8 stub back, 6" adjustable legs, CSA, NSF	L		
	1 ea	1 year limited parts & labor warranty, standard			
	1 ea	LP gas (specify elevation if over 2,000 ft.)			
	1 ea	NOTE: A regulator must be used on this equipment			
	1 ea	1-1/4" front manifold connection			
	1 ea	Front manifold: cap & cover, left			
	1 ea	V18ST22 Single-deck height riser, no shelf, non-overlapping, 18"	\$638.76	\$638.76	
	1 st	CASTERS-RR4 Casters, 5" (set of 4) (2 with locks)	\$360.97	\$360.97	
	1 ea	CUT-OUT Cut out on top for installation of drop-in unit.	\$800.00	\$800.00	
		ı	TEM TOTAL:	\$4,975.33	
12/13/ 15	1 ea	HD RANGE, 48" CHARBROILER	\$8,054.67	\$8,054.67	
		Vulcan Model No. VCBB48			
		V Series Heavy Duty Range, gas, 48", modular, charbroiler, cast iron grates & char-radiants, stainless steel front, front top ledge, side.			
		grates & char-radiants, stainless steel front, front top ledge, side,			
	1	base, burner box & stub back, 4" flanged feet, 130,000 BTU, CSA, NSF			
	1 ea	, , , , , , , , , , , , , , , , , , , ,			
		LP gas (specify elevation if over 2,000 ft.)			
	1 ea				
		1-1/4" front manifold connection			
		Front manifold: cap & cover, left			
		FRTTOP-96WLD Front Top Ledge, 96" overlapping & welded	¢000.20	¢000.20	
		V48ST22 Single-deck height riser, no shelf, non-overlapping, 48"	\$888.30	\$888.30	
	1 ea	VSC96 Refrigerated Base, 96", self-contained, (6) drawers, flat top, stainless steel front & sides, electric condensate evaporator, casters cULus, NSF	\$15,753.79 ,	\$15,753.79	
	1 ea	3 year parts & labor warranty, 2 years additional compressor parts warranty, standard			
	1 ea	3 year parts & labor warranty, 2 years additional compressor parts warranty, standard			
	1 ea	Compressor on left, standard			
	1 ea	VWT06 V Series Heavy Duty Range, 6", Work top, modular frame, stainless steel front, front top ledge, side, base, burner box, exterio bottom & stub back, CSA, NSF	\$1,152.55 r	\$1,152.55	
	1 ea	V1P18 V Series Heavy Duty Range, gas, 18", modular, Plancha top, 1/2 polished steel plate, individual pilots & controls, 3-sided grease	2" \$4,401.27	\$4,401.27	

Item	Qty	Description	Net	Net Total
		trough, stainless steel front, front top ledge, sides, base, burner box &		
	1	stub back, 4" flanged feet, 17,500 BTU, CSA Flame, CSA Star, NSF		
	1 ea	, , , , , , , , , , , , , , , , , , , ,		
	1 ea	LP gas (specify elevation if over 2,000 ft.) 1-1/4" rear gas connection, standard		
		Rear gas connection: open		
		VGT24 V Series Heavy Duty Range, gas, 24", modular, griddle, 3/4"	\$5,352.24	\$5,352.24
	1 64	thick polished steel plate, snap action thermostatic controls, stainless steel front, front top ledge, side, base, burner box & stub back, 4" flanged feet, 60,000 BTU, CSA Flame, CSA Star, NSF	<b>73,332.2</b> 4	<del>,</del> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	1-1/4" front manifold connection		
	1 ea	Front manifold: cap & cover, right		
	1 ea	36IRB Salamander Broiler, gas, 36" wide, 30,000 BTU heavy duty infrared burner, dual control, (6) grid positions, removable pan, stainless steel front, top and sides, 3/4" gas connection & pressure regulator	\$2,675.73	\$2,675.73
	1 ea			
	1 ea	Wall mount		
	1 ea	WALLMNT-CHRBKR Wall mount brackets, stainless steel (set) (stainless steel bottom panel required)	\$235.62	\$235.62
	1 ea	BOTTOM-SLMNDR Stainless bottom panel (required with wall bracket)	\$170.23	\$170.23
		ITE	M TOTAL:	\$38,684.40
21A	1 ea	GAS FRYER, BATTERY	\$19,876.11	\$19,876.11
		Vulcan Model No. 3GR45MF		
		Fryer, gas, 46-1/2" W, (3) battery, 45-50 lb. capacity per vat, millivolt thermostat controls, KleenScreen Plus® filtration system, twin baskets, stainless steel cabinet and fry tank, adjustable casters (2 swivel locking & 2 non-locking), 360,000 BTU, CSA Star, CSA Flame, NSF		
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	10 year limited tank warranty, standard		
	1 ea	LP gas (specify elevation if over 2,000 ft.)		
	1 ea	120v/60/1-ph, 1/3 hp, 6.0 amps, NEMA 5-15P, for filter, standard		
	1 ea		\$661.20	\$661.20
	1 ea	COVER-TANK Stainless steel tank cover/work surface top, for all 35 & 45 lb. gas fryers & Frymate VX15	\$136.19	\$136.19
		* FREE STANDING FRYER SYSTEM WITH BUILT-IN FILTER SYSTEM.		
		ITE	M TOTAL:	\$20,673.50
22	1 ea	CONVECTION OVEN, GAS	\$9,180.00	\$9,180.00
		Vulcan Model No. VC44GD		
		Convection Oven, gas, double-deck, standard depth, solid state		
		controls, electronic spark igniters, 60 minute timer, (5) nickel plated		

item	Qty	Description	net	Net Total
		racks per oven, 8" high legs, stainless steel front, top and sides, stainless steel doors with windows, 50,000 BTU each section, NSF, CS/Star, CSA Flame, ENERGY STAR®	4	
	1 ea	1 year limited parts & labor warranty, standard		
		LP gas (specify elevation if over 2,000 ft.)		
		(2) 120v/60/1-ph, 15.4 amps total, (2) cords with plugs, standard		
		Gas manifold piping included with stacking kit to provide single point		
	1 Cu	gas connection		
			EM TOTAL:	\$9,180.00
27	2 02	COMBI OVEN, GAS	\$15,102.27	\$30,204.54
21	2 6	Vulcan Model No. ABC7G-NAT	Ç13,102.27	<b>730,204.34</b>
		Combi Oven/Steamer, natural gas, boilerless, (7) 18" x 26" full size		
		sheet or (14) 12" x 20" full size hotel pan capacity, (3) knobs with LED		
		displays for temperature, timer & humidity, auto-adjustment of		
		humidity with temperature selection, auto-reversing fan with		
		electronic braking system, cool to touch glass door, flashing door light	t	
		and audible alert, (4) Grab n Go wire racks, stainless steel interior &		
		exterior, 80,000 BTU, 120v/60/1-ph, engineered & assembled in USA,		
		NSF/ANSI 4, cULus		
	2 ea	1 year limited parts & labor warranty, standard		
	2 ea	GASKIT-ABC Includes Gas Propane & All Altitude (2,000-10,000 ft.)	\$140.44	\$280.88
		orifices as one kit		
	2 ea	Filtration System		
	2 ea	NOTE: Water is a customer supplied utility just like Gas & Electric to		
		the equipment. Proper Water Filtration based on customer water		
		quality is essential to meet the equipment water spec requirements.		
		Verify type of filtration needed based on performing a cold water		
		analysis from the customer site. A suitable Water Treatment System 8		
		regular filter replacements coupled with routine cleaning/deliming is	i	
	2	required.	¢040.00	¢4 C20 C4
	z ea	CB30K-SYSTEM Single Hollow Carbon Filter System, with 30,000 gallon capacity, for chlorine & chloramine reduction, sediment, bad tastes &		\$1,639.64
		odors, total organic compounds, tannins & trihalomethanes, ANSI/NS		
		42 & 53	'	
	2 ea	Opted out of Reverse Osmosis System		
		STACK-ABC/G Stacking Kit, gas, for (2) ABC7G Combi, includes: vent ki	t, \$2,469.91	\$2,469.91
	1 Ca	spray hose, drip tray & casters	ι, γε, του.υι	72,403.31
	2 ea	SPRAY-ABC Spray Hose Kit, Provided with ABC Stand or ABC Stacking		
	2 Cu	Kits - includes spray handle, 8 ft. stainless steel braided hose &		
		mounting hardware		
		<u> </u>	EM TOTAL:	\$34,594.97
28	2 62	COMBI OVEN, GAS	\$15,102.27	\$30,204.54
20	2 60	Vulcan Model No. ABC7G-NAT	713,102.27	730,204.34
		Combi Oven/Steamer, natural gas, boilerless, (7) 18" x 26" full size		
		Combi Overij steamer, natural gas, bolieness, (7) 10 × 20 Tull Size		

Item	Qty	Description	Net	Net Total
		sheet or (14) 12" x 20" full size hotel pan capacity, (3) knobs with LED displays for temperature, timer & humidity, auto-adjustment of humidity with temperature selection, auto-reversing fan with electronic braking system, cool to touch glass door, flashing door light and audible alert, (4) Grab n Go wire racks, stainless steel interior & exterior, 80,000 BTU, 120v/60/1-ph, engineered & assembled in USA, NSF/ANSI 4, cULus	nt	
	2 ea	, , , , , , , , , , , , , , , , , , , ,		
	2 ea	GASKIT-ABC Includes Gas Propane & All Altitude (2,000-10,000 ft.) orifices as one kit	\$140.44	\$280.88
	2 ea	Filtration System		
	2 ea	NOTE: Water is a customer supplied utility just like Gas & Electric to the equipment. Proper Water Filtration based on customer water quality is essential to meet the equipment water spec requirements Verify type of filtration needed based on performing a cold water analysis from the customer site. A suitable Water Treatment System regular filter replacements coupled with routine cleaning/deliming required.	&	
		CB30K-SYSTEM Single Hollow Carbon Filter System, with 30,000 gallo capacity, for chlorine & chloramine reduction, sediment, bad tastes 8 odors, total organic compounds, tannins & trihalomethanes, ANSI/N 42 & 53	<b>&amp;</b>	\$1,639.64
		Opted out of Reverse Osmosis System	:+ ¢2.4C0.01	¢2.4C0.01
		STACK-ABC/G Stacking Kit, gas, for (2) ABC7G Combi, includes: vent k spray hose, drip tray & casters	it, \$2,469.91	\$2,469.91
	2 ea	SPRAY-ABC Spray Hose Kit, Provided with ABC Stand or ABC Stacking Kits - includes spray handle, 8 ft. stainless steel braided hose & mounting hardware		
		Γ	TEM TOTAL:	\$34,594.97
31	1 ea	HD RANGE, 36", 6 OPEN BURNERS  Vulcan Model No. V6B36S  V Series Heavy Duty Range, gas, 36", (6) 35,000 BTU open burners, casiron grates, standard oven, stainless steel front, front top ledge, side base, burner box & stub back, 6" adjustable legs, 260,000 BTU, CSA, NSF		\$7,995.09
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	LP gas (specify elevation if over 2,000 ft.)		
	1 ea	NOTE: A regulator must be used on this equipment		
	1 ea	1-1/4" rear gas connection, standard		
	1 ea	Rear gas connection: cap & cover, both ends		
	1 ea	V36SFL Single-deck flow-thru hi-shelf, non-overlapping, 36"	\$1,211.74	\$1,211.74
	1 st	CASTERS RR4 Casters, 5", Set of 4, 2 with Locks	\$360.97	\$360.97
		r	TEM TOTAL:	\$9,567.80
32	1 ea	TILTING SKILLET BRAISING PAN, GAS	\$19,661.00	\$19,661.00

1 ea 120v/60/1-ph, 9.0 amps, cord & plug, standard

1 ea STRAINR-BPPOUR Pouring Lip Strainer, for braising pan

1 ea DBLTS 12NZL DOUBLE Pantry Deck-Mount Faucet, 12" swivel spout,

includes 4" and 12" riser, NSF and Lead Reduction Compliant

Total \$192,862.74

**ITEM TOTAL:** 

\$390.76

\$257.67

\$390.76

\$257.67

\$20,309.43