



Specifications

07/28/2021

To
NEXT STEP DESIGN
Elijah Davis
913 A West St.
Annapolis, MD 21401
(410)263-1200
425-999-0872 (Contact)

Project
Muckleshoot Community Center
Auburn, WA

From
Squier Associates, Inc.
Conor Squier
14650-H Rothgeb Drive
Rockville, MD 20850-5316
(301)762-3710

NOTE: IT IS THE RESPONSIBILITY OF THE DEALER TO VERIFY ALL ACCESSORIES, MEASUREMENTS, DIRECTION OF OPERATION, VOLTAGES AND UTILITY SPECIFICATIONS PRIOR TO ORDERING.

ITEM - NOTE (1 REQ'D)
Vulcan Model CONSULTANT QUOTE

2021 LIST price less 50/5/5/5/5% discount has been reflected on this quotation for budget purposes.

ITEM 76 - HD RANGE, 36", 4 OPEN BURNERS (1 REQ'D)

Vulcan Model V4B36C Dimensions: 36(h) x 36(w) x 36.75(d)

V Series Heavy Duty Range, gas, 36", (4) 35,000 BTU open burners, cast iron grates, convection oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 172,000 BTU, 6" adjustable legs, CSA, NSF

- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea Gas type to be specified
- 1 ea 1-1/4" rear gas connection, standard
- 1 ea Rear gas connection: cap & cover, both ends
- 1 ea 115v/60/1-ph, 4.0 amp, fan motor voltage, cord & plug, standard
- 1 ea Model FRTTOP 36CMD Common condiment type front top, 36"
- 1 ea Model V36DFL double-deck flow-thru hi-shelf, non-overlapping, 36"
- 1 st Model CASTERS-RR4 Casters, 5" (set of 4) (2 with locks)



ELECTRICAL

	VOLTS	CYCLE	PHASE	CONN	AFF	NEMA	AMPS	KW	HP	MCA	MOCP
1	115	60	1	Cord & Plug			4				

GAS

	SIZE	MBTU	KW	CONN
1		172.0		
2	1-1/4"			

STEAM

	INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
1					
2					

ITEM 77 - HD RANGE, 36", 6 OPEN BURNERS (1 REQ'D)**Vulcan Model V6B36C Dimensions: 36(h) x 36(w) x 36.75(d)**

V Series Heavy Duty Range, gas, 36", (6) 35,000 BTU open burners, cast iron grates, convection oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 242,000 BTU, CSA, NSF

- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea Gas type to be specified
- 1 ea 1-1/4" rear gas connection, standard
- 1 ea Rear gas connection: cap & cover, both ends
- 1 ea 115v/60/1-ph, 4.0 amp, fan motor voltage, cord & plug, standard
- 1 ea Model FRTTOP 36CMD Common condiment type front top, 36"
- 1 ea Model V36DFL double-deck flow-thru hi-shelf, non-overlapping, 36"
- 1 st Model CASTERS-RR4 Casters, 5" (set of 4) (2 with locks)

**ELECTRICAL**

	VOLTS	CYCLE	PHASE	CONN	AFF	NEMA	AMPS	KW	HP	MCA	MOCP
1	115	60	1	Cord & Plug			4				

GAS

	SIZE	MBTU	KW	CONN
1		242.0		
2	1-1/4"			

STEAM

	INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
1					
2					

ITEM 78 - HD RANGE, 12", WORK TOP (1 REQ'D)**Vulcan Model VWT12B Dimensions: 36(h) x 12(w) x 36.75(d)**

V Series Heavy Duty Range, 12", work top, storage base with cabinet doors, stainless steel front, front top ledge, side, base, burner box & stub back, 6" adjustable legs, CSA, NSF

- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea Gas type to be specified
- 1 ea 1-1/4" rear gas connection, standard
- 1 ea Rear gas connection: cap & cover, both ends
- 1 ea Model V12DFL double-deck flow-thru hi-shelf, non-overlapping, 12"
- 1 st Model CASTERS-RR4 Casters, 5" (set of 4) (2 with locks)
- 1 ea Model FRTTOP-12CMD Common condiment type front top, 12"

**GAS**

	SIZE	MBTU	KW	CONN
1	1-1/4"			

STEAM

	INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
1					

ITEM 80 - HD RANGE, 12", WORK TOP (1 REQ'D)**Vulcan Model VWT12B Dimensions: 36(h) x 12(w) x 36.75(d)**

V Series Heavy Duty Range, 12", work top, storage base with cabinet doors, stainless steel front, front top ledge, side, base, burner box & stub back, 6" adjustable legs, CSA, NSF

- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea Gas type to be specified
- 1 ea 1-1/4" rear gas connection, standard
- 1 ea Rear gas connection: cap & cover, both ends
- 1 ea Model V12DFL double-deck flow-thru hi-shelf, non-overlapping, 12"
- 1 st Model CASTERS-RR4 Casters, 5" (set of 4) (2 with locks)
- 1 ea Model FRTTOP-12CMD Common condiment type front top, 12"



GAS

	SIZE	MBTU	KW	CONN
1	1-1/4"			

STEAM

	INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
1					

ITEM 81 - HD RANGE, 36", 6 OPEN BURNERS (1 REQ'D)**Vulcan Model V6B36C Dimensions: 36(h) x 36(w) x 36.75(d)**

V Series Heavy Duty Range, gas, 36", (6) 35,000 BTU open burners, cast iron grates, convection oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 242,000 BTU, CSA, NSF

- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea Gas type to be specified
- 1 ea 1-1/4" rear gas connection, standard
- 1 ea Rear gas connection: cap & cover, both ends
- 1 ea 115v/60/1-ph, 4.0 amp, fan motor voltage, cord & plug, standard
- 1 ea Model FRTTOP 36CMD Common condiment type front top, 36"
- 1 ea Model V36DFL double-deck flow-thru hi-shelf, non-overlapping, 36"
- 1 st Model CASTERS-RR4 Casters, 5" (set of 4) (2 with locks)



ELECTRICAL

	VOLTS	CYCLE	PHASE	CONN	AFF	NEMA	AMPS	KW	HP	MCA	MOCP
1	115	60	1	Cord & Plug			4				

GAS

	SIZE	MBTU	KW	CONN
1		242.0		
2	1-1/4"			

STEAM

	INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
1					
2					

ITEM 82 - HD RANGE, 36", THERMOSTATIC GRIDDLE (1 REQ'D)**Vulcan Model VGMT36B Dimensions: 36(h) x 36(w) x 36.75(d)**

V Series Heavy Duty Range, gas, 36", griddle, 3/4" thick polished steel plate, snap action thermostatic controls, cabinet base, stainless steel front, top front ledge, sides, base, burner box & stub back, 6" adjustable legs, 90,000 BTU, CSA Flame, CSA Star, NSF

- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea Gas type to be specified
- 1 ea 1-1/4" rear gas connection, standard
- 1 ea Rear gas connection: cap & cover, both ends
- 1 ea Model FRTTOP 36CMD Common condiment type front top, 36"
- 1 ea Model V36DFL double-deck flow-thru hi-shelf, non-overlapping, 36"
- 1 st Model CASTERS-RR4 Casters, 5" (set of 4) (2 with locks)



GAS

	SIZE	MBTU	KW	CONN
1		90.0		
2	1-1/4"			

STEAM

	INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
1					
2					

ITEM - NOTE (1 REQ'D)

Vulcan Model FOOTNOTE

Note: Only the equipment and accessories shown on this quotation may be purchased at the price quoted.

Items are limited to the price and quantity shown.

Note: Equipment not shown on this quotation will not be included.

Note: Please compare this quotation to your required equipment specifications.

Note: Specification sheets are available upon request from your local VULCAN office.

Note: This quotation is subject to acceptance within thirty (30) days from the date issued or an effective date of a price increase, whichever is earlier.

Note: Unless otherwise indicated, this quotation covers machines of our standard design with standard equipment and does not include plumbing, electrical or other accessories, except when regularly furnished and as standard equipment.

Note: Freight for VULCAN

A) Prices on all products are F.O.B. destination within the 48 contiguous states.

B) Local delivery expense or special handling requested by Dealer are not included in the price.

C) Accessories ordered separately and not shipped with machines are F.O.B. factory.

D) All deliveries are F.O.B. destination to a dock high commercial location within the 48 contiguous states. (not Alaska or Hawaii)

E) Delivery will be limited to ground level delivery. Uncrating and "set in place" will be the customer's responsibility.

F) When placing an order, please refer to the quotation number and project name to avoid processing delays.

This quotation is subject to receipt and review of written specifications.