

NOTE:
ITEMS M-21 & M-22
REQUIRE 3/4" GAS
CONNECTIONS



ITEM: M-21 1 EA CHEESEMELTER
VULCAN HART VICM60
WALL MOUNT
INDIVIDUAL GAS CONNECTION

ITEM: M-22 1 EA GRIDDLE
VULCAN HART VCCG60-AS
4" LEGS
CONRAIL-CG60 CONDIMENT RAIL
INDIVIDUAL GAS CONNECTION


ITEM: M-25 1 EA REFRIGERATED BASE
VULCAN HART VSC60
ON CASTERS

ITEM: M-26 1 EA RANGE
VULCAN HART V6B36S
6" LEGS
FRTTOP-36CMD CONDIMENT RAIL

21	1 EA	VICM60	CHEESE MELTER	WALL MOUNT
50 MBTU	0.75		78 AFF	
22	1 EA	VCCG60	GRIDDLE	
150 MBTU	0.75		32 AFF	
25	1 EA	ARS60	REFRIGERATED BASE	
120 (1)	4.7A		5-15	
26	1 EA	V6B36S	RANGE	
260 MBTU	1.25		32 AFF	



FURNISH WITH
CONDIMENT RAIL



FURNISH WITH
CONDIMENT RAIL

REPLACEMENT FOR
COMMON TYPE FRONT
(BELLY BAR) WHICH IS
NOT
AVAILABLE ON
MODEL VCCG60-AS

GENERAL NOTES - PLEASE READ

VENTILATION:
ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN
ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRESSION:
ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION
SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:
ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED
AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:
EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED
WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE
WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST
NOT EXCEED 0.5 PSI (4" W.C.)

BY OTHERS:
VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE
REQUIREMENTS.

NOTE:
IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURER
RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

CONNECTION POINT
COLD WATER
HOT WATER
HOT + COLD WATER
DRAIN
POWER
SWITCH
CORD SET
CONV. OUTLET RECP
DUPLEX RECP/TABLE
SINGLE RECP/TABLE
GAS
STEAM SUPPLY
STEAM RETURN
STEAM TAKE OFF
EXHAUST VENT
SUPPLY VENT
REFRIGERATION

08-11-2021

PROJECT CODE
MOMOS

VULCAN
THE VULCAN HART COMPANY
BALTIMORE, MARYLAND
410-284-0660

OTG LGA
MOMOSANS
Sushi & Burger

No.	Date	By	Revision
2	08/11/2021	ddb	LARGE FORMAT
4	10/07/2021	ddb	SUBMITTAL
5	10/21/2021	ddb	EQUIPMENT SCHEDULE
7	12/21/2021	ddb	FRONT RAIL VERBIAGE

POSTERNAK BAUER
479 WHITE PLAINS RD
EAST CHESTER, NY 410709

SCALE:
AS NOTED
DATE: 08/11/2021
DRAWN BY: DDB
VH- MOMOS