




37311 - REVISE

ENTIRE
SUBMITTAL

☐ APPROVED
AS NOTED

☒ REVISE &
RESUBMIT


☐ NOT
APPROVED

DATE 6-15-21


BY TJT







SANTEE/BECKER ASSOCIATES
FOOD FACILITY DESIGN CONSULTANTS

REVIEWED FOR CONFORMANCE TO
DESIGN CONCEPT AND CONTRACT
DOCUMENTS. CONTRACTOR IS
RESPONSIBLE FOR CONFORMANCE
TO PROJECT CONDITIONS AND
DIMENSIONS AND COORDINATION OF
WORK OF ALL PARTIES INVOLVED.
APPROVAL OF THIS SUBMITTAL
SHALL NOT RELIEVE CONTRACTOR
OF RESPONSIBILITY FOR ANY
ERRORS OR OMISSIONS.



#37311





W/ 625 WATT ELEMENTS

W/ (1) VOLLRATH #19199 SHEET PAN ADAPTER


SELECTED BY ARCHITECT

- Server 32 1 Qty 1
- Hot Food Counter
- A 5 Individual Wet Hot Wells
- B Custom Counter Height
- C Legs : 6" Adjustable (Adds 2" To Height)
- D Customer Side Plate Rest
- E w/Lift-off Bracket
- F Operator Side Plate Rest
- G w/ Lift-off Bracket
- H Storage Shelf w/o Doors
- I Controls : Touch Temp
- J Drain : 1 1/2" w/ Ball Valve Extend Copper Drain
- K Pipe Thru Bottom Of Base
- L Classic Breath Guard
- M Single Side Cafeteria
- N Single Deck
- O Full Width S-S
- P Fluorescent Lights
- Q On Board Switch
- R End Panel Operator Left Side
- S Acrylic Panels
- T *** Does Not Meet Current NSF Standards

Finishes And Materials

- Top : 18 Ga SST
- Body : Laminate TBD
- Trim : Standard SST
- Plate Rest : 18 Ga SST
- Breath Grd : Polished SST




VOLTS	208	Ø	1	Ø	15.1A	Ø	0.5"	INDIRECT
PLUMBING	HW : -	WASTE : (1)	Ø.5"	INDIRECT	DVDS1			
DAVIDSON SCHOOL - 1								
THE VOLLRATH CO., LLC								
04-05-21								
COPYRIGHT 2021								
SHEBOYGAN, WI								



#37311 - REVISE.
PROFILE TO MATCH
ADJACENT COUNTER

W/ 18 GA. 3(S) CUSTOM
FAB COVER PER SPEC
COORDINATE DIMS.
CONSTRUCTION
W/ RUSSCO CUSTOM
FAB.

A Top Layout Operator L-R
Open Work Top
(1) 1 Pan Integrated Iced Cold Well





#37311

- Server 34 1 Qty 1
- Cold Food Counter
- A Custom Configuration
- B (1) 1 Pan Iced Cold Well
- C Custom Counter Height
- D Legs : 6" Adjustable
(Adds 2" To Height)
- E Customer Side Plate Rest
- F w/Lift-off Bracket
- G Operator Side Plate Rest
- H Storage Shelf w/o Doors
- I Drain : 1/2" w/ Ball Valve
- Classic Breath Guard
- Single Side Cafeteria
- NSF Single Deck
- Full Width S-S
- Fluorescent Lights
- On Board Switch
- End Panel Operator Right Side
- 6" Front Opening Gap
- Acrylic Panels

Finishes And Materials

- Top : 18 Ga SST
- Body : Laminate T80
- Trim : Standard SST
- Plate Rest : 18 Ga SST
- Breath Grd : Polished SST

SELECTED BY
ARCHITECT



VOLTS	120	60	ELECTRICAL
Ø	1	Ø 1/2	NEMA 5-15
Ø .1A			
PLUMBING	CV: -		
HW: -			
WASTE: (1) Ø.5"			INDIRECT
			DVDS1
DAVIDSON SCHOOL - I			
VOLLRATH			
THE VOLLRATH CO., LLC			
COPYRIGHT 2021			
SHEBOYGAN, WI			
04-05-21			

GENERAL NOTES - PLEASE READ

CONFIGURATION:
THESE DRAWINGS ARE TO BE USED IN CONJUNCTION WITH THE PREPARED QUOTATION
AND MUST BE RECONCILED PRIOR TO RELEASE FOR FABRICATION.

DIMENSIONS:
ALL DIMENSIONS SHOWN ARE $\pm 1/4"$

CONNECTIONS:
ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED
AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

BY OTHERS:
VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE
REQUIREMENTS.


NOTE:
IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURE
RESERVES THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.



CONFIDENTIAL DESIGN

The Vollrath Company, L.L.C. ('Vollrath') considers this new design proprietary and confidential. Due to the existing relationship of trust and good faith between Vollrath and Recipient, Vollrath is providing this proprietary and confidential design and related information to Recipient with the understanding that Recipient will maintain such design and information in secrecy and will not directly or indirectly use, disseminate, or otherwise disclose this proprietary and confidential information to any outside person or organization without the express written prior consent of The Vollrath Company, L.L.C.

04-01-2021
04-01-2021 : 09:58:31a
04-01-2021 : 10:00:34a
04-01-2021 : 12:35:04p
04-01-2021 : 12:37:45p
04-05-2021 : 09:41:54a



DVDS1

DAVIDSON SCHOOL - 1




THE VOLLRATH CO., LLC

04-05-21

COPYRIGHT 2021
SHEBOYGAN, WI





DVDS3

DAVIDSON SCHOOL - 3



THE VOLLRATH CO., LLC

04-01-21
COPYRIGHT 2021
SHEBOYGAN, WI

GENERAL NOTES - PLEASE READ

CONFIGURATION:

THESE DRAWINGS ARE TO BE USED IN CONJUNCTION WITH THE PREPARED QUOTATION AND MUST BE RECONCILED PRIOR TO RELEASE FOR FABRICATION.

DIMENSIONS:

ALL DIMENSIONS SHOWN ARE $\pm 1/4"$

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURE RESERVES THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.



CONFIDENTIAL DESIGN

The Vollrath Company, L.L.C. ('Vollrath') considers this new design proprietary and confidential. Due to the existing relationship of trust and good faith between Vollrath and Recipient, Vollrath is providing this proprietary and confidential design and related information to Recipient with the understanding that Recipient will maintain such design and information in secrecy and will not directly or indirectly use, disseminate, or otherwise disclose this proprietary and confidential information to any outside person or organization without the express written prior consent of The Vollrath Company, L.L.C.

04-01-2021

04-01-2021 : 03:43:36p

04-01-2021 : 03:44:14p



CONNECTION POINT



COLD WATER



HOT WATER



HOT + COLD WATER



DRAIN



POWER



SWITCH



CORD SET



CONV OUTLET RECP



DUPLEX RECEPTACLE



SINGLE RECEPTACLE



REFRIGERATION

DAVIDSON SCHOOL - 3

DVDS3





04-01-21


THE VOLLRATH CO., LLC

COPYRIGHT 2021
SHEBOYGAN, WI

CASHIER COUNTER
34" HIGH w/ PLATE
SHELVES MOUNTED
30" HIGH













DVDS2

DAVIDSON SCHOOL - 2



THE VOLLRATH CO., LLC

04-01-21
COPYRIGHT 2021
SHEBOYGAN, WI



OUT 34" HIGH
W/ PLATE RESTS
MOUNTED AT 30"
HIGH TO ALIGN W/
PLATE RESTS ON
ADJACENT COUNTER -
REVISE

- Server 41 Qty 1
- Utility Counter
 - A Custom Counter Height
 - B Legs : 6" Adjustable
(Add 2" To Height)
 - C Customer Side Plate Rest
w/ Lift-off Bracket
 - D Operator Side Plate Rest
w/ Lift-off Bracket
 - E End Oriented Cashier
Opening
 - F Cash Drawer
 - G Receptacle And Cord
Grommet

Finishes And Materials






- Top : 16 Ga SST
- Body : Laminate TBD
- Trim : Standard SST
- Plate Rest : 18 Ga SST

SELECTED BY
ARCHITECT

VOLTS	120	60	ELECTRICAL
Ø	1	1 1/2	
10.0 Max A			NEMA 5-15

DAVIDSON SCHOOL - 2

DVDS2



- Server 42 1 Qty 1
- Hot Food Counter
- A 5 Individual Wet Hot Wells
- B Custom Counter Height
- C Legs : 6" Adjustable (Adds 2" To Height)
- D Customer Side Plate Rest w/Lift-off Bracket
- E Operator Side Plate Rest w/ Lift-off Bracket
- F Controls : Touch Temp
- G Drain : 1/2" Drain With Ball Valve, Extend Copper Drain Pipe Thru Bottom Of Base
- H Access Breath Guard
- NSF Double Side Buffet With Adjustable Height Frame Full Width S-S
- Fluorescent Lights
- On Board Switch
- End Panels Both Sides
- w/ FLIP-UP BREATH GUARDS

Finishes And Materials

Top : 16 Ga SST

Body : Laminate TBD

Trim : Standard SST

Plate Rest : 18 Ga SST

Breath Grd : SST Frame, Top Shelf To Match Body

SELECTED BY ARCHITECT

VOLTS	208	Ø	1	Ø _c	1	ELECTRICAL
PLUMBING	HW : -	WASTE : (1) Ø.5"	INDIRECT			
DAVIDSON SCHOOL - 2						
DVDS2						
THE VOLURATH CO., LLC						
04-01-21						
COPYRIGHT 2021						
SHEBOYGAN, WI						

GENERAL NOTES - PLEASE READ

CONFIGURATION:
THESE DRAWINGS ARE TO BE USED IN CONJUNCTION WITH THE PREPARED QUOTATION
AND MUST BE RECONCILED PRIOR TO RELEASE FOR FABRICATION.

DIMENSIONS:
ALL DIMENSIONS SHOWN ARE $\pm 1/4"$

CONNECTIONS:
ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED
AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

BY OTHERS:
VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE
REQUIREMENTS.

NOTE:
IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURE
RESERVES THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.




CONFIDENTIAL DESIGN

The Vollrath Company, L.L.C. ('Vollrath') considers this new
design proprietary and confidential. Due to the existing rela-
tionship of trust and good faith between Vollrath and Recipient,
Vollrath is providing this proprietary and confidential design
and related information to Recipient with the understanding
that Recipient will maintain such design and information in
secrecy and will not directly or indirectly use, disseminate, or
otherwise disclose this proprietary and confidential information
to any outside person or organization without the express
written prior consent of The Vollrath Company, L.L.C.

04-01-2021

04-01-2021 : 02:47:41p

04-01-2021 : 02:48:21p



DAVIDSON SCHOOL - 2

DVD52



THE VOLLRATH CO., LLC

04-01-21
COPYRIGHT 2021
SHEBOYGAN, WI