



# Quote

12/28/2021

**To:**  
Kessenich's Ltd  
Ron Zeh  
3226 Progress Road  
Madison, WI 53716  
608-249-5391

**Project:**  
Muskego High School

**From:**  
Vollrath Company LLC  
1236 North 18th Street  
PO Box 611  
Sheboygan, WI 53082-0611  
920-457-4851

Job Reference Number: 37686

**This quote and pricing is effective on 12-1-2021. All PRICES ARE SUBJECT TO CHANGE without notice; and orders placed for future delivery will be invoiced at the prices in effect at the time of shipment.**

**All purchase order (PO) pricing must match, or orders will not be released for shipment.**

**Standard Terms and Conditions apply as stated on the Vollrath Website at <https://vollrathcompany.com/terms-of-sale/>.**



**Prepaid freight with \$3,000 net order on standard catalog items. Dedicated trucks and crating charges apply to all Custom V-Class orders.**

**A \$5.00 broken case charge will be added for each broken case.**



**A \$15.00 minimum order charge will be added to orders under \$100.00 NET.**

**NOTE: Non-returnable items include, but are not limited to, ware washing racks, Lid Saver, heat strips, plate covers and custom made or MTO-made to order products. All other items incur a 25% re-stocking fee.**

Item	Qty	Description	List	Sell Total
<b>OPTION #1: ALL HOT/ COLD UNITS</b>				
1,3	2 ea	SERVING COUNTER, UTILITY	\$11,149.20	\$10,034.28



Item	Qty	Description	List	Sell Total
		Vollrath Model No. M98711 4-Series Signature Server® Utility Station with Stainless Steel Countertop, ~112"W x 28"D x 34"H, modular, 16/300 series stainless steel top, 18/400 series stainless steel enclosed base clad with black laminate, reinforced stainless steel unibody construction, 4" heavy duty swivel casters with brakes, cULus, NSF		
		<b>Modified Base - Modifications Include:</b>  - Unit to Accept (x2) Vollrath Item FC-6HC-03120-AD - Three Well Hot/Cold Drop Ins - Depth to be ~30-32" Deep to Accommodate Hot/Cold		
	2 ea	1 year warranty against defects in materials & workmanship		
	2 st	SS5CASTERS 4-Series Signature Server® Swivel Casters, 5"H, (2) braked, adds 1" to unit height		
	2 ea	STANDARD BLACK Black Laminate, standard, nc		
	2 ea	M89284 Modified to Be Sized over Both Hot/Cold Drop Ins: Traditional Breath Guard, single-sided buffet with top shelf, 1/4 thick tempered glass secured in thick fitting channel with 1-1/2" extruded aluminum, for use with Vollrath (6) well 4-Series Signature Server® with stainless steel countertops, units, mount to stainless steel solid surface (note: requires 14 gauge stainless steel solid surface), 1-year warranty, Made in USA, contact Vollrath for dimensions	\$6,353.20	\$5,717.88
	2 ea	9879506 Upgrade to 14 gauge stainless steel work surface for, 88"W 4-Series Signature Server® Utility Station (required for this breath guard)	\$1,233.60	\$1,110.24
	2 ea	smooth stainless counter, standard		
	2 ea	99 Aluminum finish, standard		
	2 ea	NO LIGHT OR HEAT No lights or heating, standard, no charge		
	2 ea	98829-2-O Operator Side: Plate Rest, 88"W x 7"D x 1"H, fold-down/lift-off brackets, 18/400 stainless steel, for 4-Series Signature Server®, NSF (2 x 44" sections)	\$2,582.10	\$2,323.90
	2 ea	Plain stainless steel plate rest, standard		
	1 ea	37570-2-R Unit Three Only: Right Side End Shelf - ADA 4-Series Signature Server® with Stainless Steel Countertops, 18" x 28", fold-down/lift-off brackets (right side when viewed from operator side)	\$1,559.60	\$701.82
	2 ea	98850 Work surface flange modified with line-up locks, Keyhole slots on diagonal corners with stainless slide attached to side of base	\$328.00	\$295.20
	4 ea	<b>HOT / COLD FOOD WELL UNIT, DROP-IN, ELECTRIC</b> Vollrath Model No. FC-6HC-03120-AD Hot/Cold Well, Drop-In, top mount, (3) pan, remote mountable panel with on-off switch, hot/cold toggle with indicator lights for hot or cold, thermostatic temperature rotary knob control in hot mode, preset cold control, automatic manifold drain, 300 series stainless well & flange, galvanized wrapper, 625 watts per well, 15.6amp, 120v/60/1-ph, cord with NEMA 5-20P, cULus, NSF, Made in USA	\$17,646.30	\$31,763.36
				


Item	Qty	Description	List	Sell Total
	4 ea	4358000-2 Control Panel Mounting Frame: control box requires 3-11/16" (9.4 cm) in depth plus 1" (2.5 cm) clearance, mounting frame projects the control box out 1-11/16" (4.3 cm), reducing required space to 2" (5.1 cm) in depth plus 1" (2.5 cm) clearance, for models: FC-6HC-03120-AD, FC-6HC-03208-AD, FC-6HC-03120 & FC-6HC-03208	\$593.80	\$1,068.84
	4 ea	Drip Free Flange, std		
2	1 ea	<b>SERVING COUNTER, UTILITY</b> Vollrath Model No. M37020 4-Series Signature Server® Utility Station with Stainless Steel Countertop, 28"W x 32"D x 34"H, modular, 16/300 series stainless steel top, 18/400 series stainless steel enclosed base clad with black laminate, reinforced stainless steel unibody construction, 4" heavy duty swivel casters with brakes, cULus, NSF <b>*Modified to be the same width as the hot/cold unit</b>  <b>30" depth</b>	\$3,439.10	\$1,547.60
	1 ea	1 year warranty against defects in materials & workmanship		
	1 st	SS5CASTERS 4-Series Signature Server® Swivel Casters, 5"H, (2) braked, adds 1" to unit height		
	1 ea	STANDARD BLACK Black Laminate, standard, nc		
	1 ea	9879502 Upgrade to 14 gauge stainless steel work surface for, 28"W 4-Series Signature Server® Utility Station	\$656.30	\$295.34
	1 ea	smooth stainless counter, standard		
	1 ea	No breath guard		
	1 ea	3751150-2-O Operator Side Plate Rest, with lift-off bracket, ADA 4-Series Signature Server® with Stainless Steel Countertops, 28"W x 7"D	\$885.80	\$398.61
	1 ea	Plain stainless steel plate rest, standard		
	1 ea	98850 Work surface flange modified with line-up locks, Keyhole slots on diagonal corners with stainless slide attached to side of base	\$328.00	\$147.60
<b>OPTION #2: HOT/ COLD WITH ONE INDUCTION SOUP WELL</b>				<Alternate>
4	1 ea	<b>SERVING COUNTER, UTILITY</b> Vollrath Model No. M98711 4-Series Signature Server® Utility Station with Stainless Steel Countertop, 112"W x 28"D x 34"H, modular, 16/300 series stainless steel top, 18/400 series stainless steel enclosed base clad with black laminate, reinforced stainless steel unibody construction, 4" heavy duty swivel casters with brakes, cULus, NSF <b>Modified Base - Modifications Include:</b>  <b>- Unit to Accept (x2) Vollrath Item FC-6HC-03120-AD - Three Well Hot/Cold Drop Ins</b> <b>- Depth to be ~30-32" Deep to Accommodate Hot/Cold</b>	\$11,149.20	<Alternate>
	1 ea	1 year warranty against defects in materials & workmanship		<Alternate>

Item	Qty	Description	List	Sell Total
	1 st	SS5CASTERS 4-Series Signature Server® Swivel Casters, 5"H, (2) braked, adds 1" to unit height		<Alternate>
	1 ea	STANDARD BLACK Black Laminate, standard, nc		<Alternate>
	1 ea	M89284 Modified to Be Sized over Both Hot/Cold Drop Ins: Traditional Breath Guard, single-sided buffet with top shelf, 1/4 thick tempered glass secured in thick fitting channel with 1-1/2" extruded aluminum, for use with Vollrath (6) well 4-Series Signature Server® with stainless steel countertops, units, mount to stainless steel solid surface (note: requires 14 gauge stainless steel solid surface), 1-year warranty, Made in USA, contact Vollrath for dimensions	\$6,353.20	<Alternate>
	1 ea	9879506 Upgrade to 14 gauge stainless steel work surface for, 88"W 4-Series Signature Server® Utility Station (required for this breath guard)	\$1,233.60	<Alternate>
	1 ea	smooth stainless counter, standard		<Alternate>
	1 ea	99 Aluminum finish, standard		<Alternate>
	1 ea	NO LIGHT OR HEAT No lights or heating, standard, no charge		<Alternate>
	1 ea	98829-2-O Operator Side: Plate Rest, 88"W x 7"D x 1"H, fold-down/lift-off brackets, 18/400 stainless steel, for 4-Series Signature Server®, NSF (2 x 44" sections)	\$2,582.10	<Alternate>
	1 ea	Plain stainless steel plate rest, standard		<Alternate>
	1 ea	98850 Work surface flange modified with line-up locks, Keyhole slots on diagonal corners with stainless slide attached to side of base	\$328.00	<Alternate>
	2 ea	<b>HOT / COLD FOOD WELL UNIT, DROP-IN, ELECTRIC</b> Vollrath Model No. FC-6HC-03120-AD Hot/Cold Well, Drop-In, top mount, (3) pan, remote mountable panel with on-off switch, hot/cold toggle with indicator lights for hot or cold, thermostatic temperature rotary knob control in hot mode, preset cold control, automatic manifold drain, 300 series stainless well & flange, galvanized wrapper, 625 watts per well, 15.6amp, 120v/60/1-ph, cord with NEMA 5-20P, cULus, NSF, Made in USA	\$17,646.30	<Alternate>
	2 ea	4358000-2 Control Panel Mounting Frame: control box requires 3-11/16" (9.4 cm) in depth plus 1" (2.5 cm) clearance, mounting frame projects the control box out 1-11/16" (4.3 cm), reducing required space to 2" (5.1 cm) in depth plus 1" (2.5 cm) clearance, for models: FC-6HC-03120-AD, FC-6HC-03208-AD, FC-6HC-03120 & FC-6HC-03208	\$593.80	<Alternate>
	2 ea	Drip Free Flange, std		<Alternate>
5	1 ea	<b>SERVING COUNTER, UTILITY</b> Vollrath Model No. M37020 4-Series Signature Server® Utility Station with Stainless Steel Countertop, 28"W x 32"D x 34"H, modular, 16/300 series stainless steel top, 18/400 series stainless steel enclosed base clad with black laminate, reinforced stainless steel unibody construction, 4" heavy duty swivel casters with brakes, cULus, NSF <b>*Modified to be the same width as the hot/cold unit</b>	\$3,439.10	<Alternate>
				

Item	Qty	Description	List	Sell Total
		<b>30" depth</b>		
	1 ea	1 year warranty against defects in materials & workmanship		<Alternate>
	1 st	SS5CASTERS 4-Series Signature Server® Swivel Casters, 5"H, (2) braked, adds 1" to unit height		<Alternate>
	1 ea	STANDARD BLACK Black Laminate, standard, nc		<Alternate>
	1 ea	9879502 Upgrade to 14 gauge stainless steel work surface for, 28"W 4-Series Signature Server® Utility Station	\$656.30	<Alternate>
	1 ea	smooth stainless counter, standard		<Alternate>
	1 ea	No breath guard		<Alternate>
	1 ea	3751150-2-O Operator Side Plate Rest, with lift-off bracket, ADA 4-Series Signature Server® with Stainless Steel Countertops, 28"W x 7"D	\$885.80	<Alternate>
	1 ea	Plain stainless steel plate rest, standard		<Alternate>
	1 ea	98850 Work surface flange modified with line-up locks, Keyhole slots on diagonal corners with stainless slide attached to side of base	\$328.00	<Alternate>
		<b>Modified Base - Modifications Include:</b>		<Alternate>
		- Unit to Accept (x2) Vollrath Item FC-6HC-03120-AD - Three Well Hot/Cold Drop Ins		
		- Depth to be ~30-32" Deep to Accommodate Hot/Cold		
6	1 ea	<b>SERVING COUNTER, UTILITY</b> Vollrath Model No. M98711 4-Series Signature Server® Utility Station with Stainless Steel Countertop, 112"W x 28"D x 34"H, modular, 16/300 series stainless steel top, 18/400 series stainless steel enclosed base clad with black laminate, reinforced stainless steel unibody construction, 4" heavy duty swivel casters with brakes, cULus, NSF	\$11,149.20	<Alternate>
		<b>Modified Base - Modifications Include:</b>		<Alternate>
		- Unit to Accept Vollrath Item FC-6HC-03120-AD, FC-6HC-02120-AD, 741101DW		
		- Depth to be ~30-32" Deep to Accommodate Hot/Cold		
	1 ea	1 year warranty against defects in materials & workmanship		<Alternate>
	1 st	SS5CASTERS 4-Series Signature Server® Swivel Casters, 5"H, (2) braked, adds 1" to unit height		<Alternate>
	1 ea	STANDARD BLACK Black Laminate, standard, nc		<Alternate>
	1 ea	M89284 Modified to Be Sized over Both Hot/Cold Drop Ins: Traditional Breath Guard, single-sided buffet with top shelf, 1/4 thick tempered glass secured in thick fitting channel with 1-1/2" extruded aluminum, for use with Vollrath (6) well 4-Series Signature Server® with stainless steel countertops, units, mount to stainless steel solid surface (note: requires 14 gauge stainless steel solid surface), 1-year warranty, Made in USA, contact Vollrath for dimensions	\$6,353.20	<Alternate>
	1 ea	9879506 Upgrade to 14 gauge stainless steel work surface for, 88"W 4-	\$1,233.60	<Alternate>



Item	Qty	Description	List	Sell Total
		Series Signature Server® Utility Station (required for this breath guard)		
	1 ea	smooth stainless counter, standard		<Alternate>
	1 ea	99 Aluminum finish, standard		<Alternate>
	1 ea	NO LIGHT OR HEAT No lights or heating, standard, no charge		<Alternate>
	1 ea	98829-2-O Operator Side: Plate Rest, 88"W x 7"D x 1"H, fold-down/lift-off brackets, 18/400 stainless steel, for 4-Series Signature Server®, NSF (2 x 44" sections)	\$2,582.10	<Alternate>
	1 ea	Plain stainless steel plate rest, standard		<Alternate>
	1 ea	37570-2-R Right Side End Shelf - ADA 4-Series Signature Server® with Stainless Steel Countertops, 18" x 28", fold-down/lift-off brackets (right side when viewed from operator side)	\$1,559.60	<Alternate>
	1 ea	98850 Work surface flange modified with line-up locks, Keyhole slots on diagonal corners with stainless slide attached to side of base	\$328.00	<Alternate>
	1 ea	37570-2-R Right Side End Shelf - ADA 4-Series Signature Server® with Stainless Steel Countertops, 18" x 28", fold-down/lift-off brackets (right side when viewed from operator side)	\$1,559.60	<Alternate>
	1 ea	<b>HOT / COLD FOOD WELL UNIT, DROP-IN, ELECTRIC</b> Vollrath Model No. FC-6HC-03120-AD Hot/Cold Well, Drop-In, top mount, (3) pan, remote mountable panel with on-off switch, hot/cold toggle with indicator lights for hot or cold, thermostatic temperature rotary knob control in hot mode, preset cold control, automatic manifold drain, 300 series stainless well & flange, galvanized wrapper, 625 watts per well, 15.6amp, 120v/60/1-ph, cord with NEMA 5-20P, cULus, NSF, Made in USA	\$17,646.30	<Alternate>
	1 ea	4358000-2 Control Panel Mounting Frame: control box requires 3-11/16" (9.4 cm) in depth plus 1" (2.5 cm) clearance, mounting frame projects the control box out 1-11/16" (4.3 cm), reducing required space to 2" (5.1 cm) in depth plus 1" (2.5 cm) clearance, for models: FC-6HC-03120-AD, FC-6HC-03208-AD, FC-6HC-03120 & FC-6HC-03208	\$593.80	<Alternate>
	1 ea	Drip Free Flange, std		<Alternate>
	1 ea	<b>HOT / COLD FOOD WELL UNIT, DROP-IN, ELECTRIC</b> Vollrath Model No. FC-6HC-02120-AD Hot/Cold Well, Drop-In, top mount, (2) pan, remote mountable panel with on-off switch, hot/cold toggle with indicator lights for hot or cold, thermostatic temperature rotary knob control in hot mode, preset cold control, automatic manifold drain, 300 series stainless well & flange, galvanized wrapper, 625 watts per well, 10.4 amps, 120v/60/1-ph, cord with NEMA 5-15P, cULus, NSF, Made in USA	\$13,488.60	<Alternate>
	1 ea	4357900-2 Control Panel Mounting Frame: control box requires 3-11/16" (9.4 cm) in depth plus 1" (2.5 cm) clearance, mounting frame projects the control box out 1-11/16" (4.3 cm), reducing required space to 2" (5.1 cm) in depth plus 1" (2.5 cm) clearance, for models: FC-6HC-02120, FC-6HC-02120-AD, FC-6HC-02208, FC-6HC-02208-AD	\$593.80	<Alternate>
	1 ea	Drip Free Flange, std		<Alternate>

Item	Qty	Description	List	Sell Total
	1 ea	<b>INDUCTION FOOD PAN WARMER, DROP-IN</b>	\$1,375.30	<Alternate>
		Vollrath Model No. 741101DW Mirage® Induction Warmer, drop-in, dry operation, 11 quart, inset with hinged cover, (4) soup presets, stir indicator LED, solid state controls with locking function, temperature control in °F or °C, cabinet mount controls with leads, includes: induction ready inset, inset cover, mounting hardware & cord with NEMA 5-15P, 250 watts, 2.1 amps, 120v/60/1-ph, cULus, NSF, FCC (cover not NSF)		
	1 ea	Requires use of included Vollrath induction-ready inset - failure to use these insets may damage the unit & will void the warranty		<Alternate>
Total				\$55,404.67

Thank you for choosing Vollrath!

Emily Freis  
District Sales Manager- Wisconsin & Chicago  
920-547-8032  
emily.freis@vollrathco.com

Acceptance: \_\_\_\_\_ Date: \_\_\_\_\_

Printed Name: \_\_\_\_\_