

















A Top Layout Operator L-R
(4) Integrated Wet Hot Wells
625 Watt Wells



Server 1 | Qty 1
Utility Counter
A Custom Configuration
B Line Up Locks
C Casters : 4" (2) w/Brakes
D Skirt : SST Toe Kick
Customers
E Customer Side V Rib Tray
Slide w/ Lift-off
Brackets
30" Surface Height
F Storage Shelf w/o Doors
G Drain : 1/2" Drain With
Ball Valve, Extend Drain
Pipe Thru Bottom Of Base
H Contemporary Breath Guard

NSF Single Side Cafeteria
With Top Shelf
Full Width S-S
End Panels Both Sides

Finishes And Materials

Top : ** 14 Ga SST
Body : Formica
8839 Veritical
Trim : Standard SST
Skirt : 18 Ga SST
Tray Rail : 18 Ga SST
Breath Grd : Brushed SST

VOLTS 208 60 ELECTRICAL
Ø 1 12.0 A NEMA 6-20

PLUMBING CW: -
HW: -
WASTE: (1) Ø.5" INDIRECT



NVAJO

NAVAJO ES





THE VOLLRATH CO., LLC



05-26-21
COPYRIGHT 2021
SHEBOYGAN, WI



Server 2 | Qty 1
 Utility Counter
 A Custom Counter Height
 B Line Up Locks
 C Casters : 4" (2) w/Brakes
 D Skirt : SST Toe Kick
 Customers
 E Customer Side V Rib Tray
 Slide w/ Lift-off Brackets
 30" Surface Height



Finishes And Materials
 Top : ** 14 Ga SST
 Body : Formica
 8839 Veritical
 Trim : Standard SST
 Skirt : 18 Ga SST
 Tray Rail : 18 Ga SST



NVAJO

NAVAJO ES





05-26-21

COPYRIGHT 2021

THE VOLLRATH CO., LLC

SHEBOYGAN, WI



Server 3 | Qty 1
Utility Counter
A Custom Counter Height
B Line Up Locks
C Casters : 4" (2) w/Brakes
D Skirt : SST Toe Kick
Customers
E Customer Side V Rib Tray
Slide w/ Lift-off Brackets
30" Surface Height
F Storage Shelf w/o Doors
G Drain : 1 1/2" w/ Ball Valve
H Overshelf Breath Guard

Speed Serve
Full Width S-S
LED Light Strip
ON Board Switch

Finishes And Materials

Top : ** 14 Ga SST

Body : Formica





8839 Veritical

Trim : Standard SST


Skirt : 18 Ga SST

Tray Rail : 18 Ga SST

Breath Grd : Standard SST



VOLTS 120
Ø 1
3.6 A



ELECTRICAL
NEMA 5-15

PLUMBING CW: -
HW: -
WASTE: (1) Ø.5" INDIRECT

NVAJO



NAVAJO ES





THE VOLLRATH CO., LLC

05-26-21

COPYRIGHT 2021
SHEBOYGAN, WI





Server 4 | Qty 1
Utility Counter
A Custom Counter Height
B Line Up Locks
C Casters : 4" (2) w/Brakes
D Skirt : SST Toe Kick
Customers
E Customer Side V Rib Tray
Slide w/ Lift-off Brackets
30" Surface Height



Finishes And Materials

Top : ** 14 Ga SST
Body : Formica
8839 Veritical
Trim : Standard SST
Skirt : 18 Ga SST
Tray Rail : 18 Ga SST





NVAJO

NAVAJO ES



VOLLRATH

THE VOLLRATH CO., LLC



05-26-21
COPYRIGHT 2021
SHEBOYGAN, WI



Server 5 | Qty 1
 Cashier Station
 A Casters : 4" (2) w/Brakes
 B Skirt : SST Toe Kick
 Customers
 C Customer Side V Rib Tray
 Slide w/ Lift-off Brackets
 30" Surface Height
 D Storage Shelf w/o Doors
 E Cash Drawer
 F Receptacle And Cord
 Grommet



Finishes And Materials
 Top : 16 Ga SST
 Body : Formica
 8839 Vertical
 Trim : Standard SST
 Skirt : 18 Ga SST
 Tray Rail : 18 Ga SST



VOLTS 120
 1
 10.0 Max A

60
 1
 1

ELECTRICAL
 NEMA 5-15

NVAJO



NAVAJO ES





THE VOLLRATH CO., LLC

05-26-21

COPYRIGHT 2021
 SHEBOYGAN, WI





- Server 6 | Qty 1
Cashier Station
- A Casters : 4" (2) w/Brakes
 - B Skirt : SST Toe Kick
 - C Customer Side V Rib Tray Slide w/ Lift-off Brackets 30" Surface Height
 - D Storage Shelf w/o Doors
 - E Cash Drawer
 - F Receptacle And Cord Grommet



Finishes And Materials

Top : 16 Ga SST
Body : Formica
8839 Vertical
Trim : Standard SST
Skirt : 18 Ga SST
Tray Rail : 18 Ga SST



VOLTS 120
Ø 1
10.0 Max A

60
1
1

ELECTRICAL
NEMA 5-15

NVAJO

NAVAJO ES

VOLLRATH

THE VOLLRATH CO., LLC

05-26-21

COPYRIGHT 2021
SHEBOYGAN, WI

GENERAL NOTES - PLEASE READ

CONFIGURATION:

THESE DRAWINGS ARE TO BE USED IN CONJUNCTION WITH THE PREPARED QUOTATION AND MUST BE RECONCILED PRIOR TO RELEASE FOR FABRICATION.

DIMENSIONS:

ALL DIMENSIONS SHOWN ARE $\pm 1/4"$

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURE RESERVES THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

	CONNECTION POINT
	COLD WATER
	HOT WATER
	HOT + COLD WATER
	DRAIN
	POWER
	SWITCH
	CORD SET
	CONV OUTLET RECP
	DUPLEX RECPTACLE
	SINGLE RECPTACLE
	REFRIGERATION



CONFIDENTIAL DESIGN

The Vollrath Company, L.L.C. ("Vollrath") considers this new design proprietary and confidential. Due to the existing relationship of trust and good faith between Vollrath and Recipient, Vollrath is providing this proprietary and confidential design and related information to Recipient with the understanding that Recipient will maintain such design and information in secrecy and will not directly or indirectly use, disseminate, or otherwise disclose this proprietary and confidential information to any outside person or organization without the express written prior consent of The Vollrath Company, L.L.C.

05-26-2021

05-26-2021 : 08:27:45a

05-26-2021 : 01:10:19p

NVAJO

NAVAJO ES



THE VOLLRATH CO., LLC

05-26-21

COPYRIGHT 2021
SHEBOYGAN, WI