



PLAN VIEW




VH-REDRG COPYRIGHT (C) 2021






VH-REDRG






VH-REDRG





VH-REDRG






VH-REDRG




NE VIEW




VH-REDRG COPYRIGHT (C) 2021





VH-REDRG COPYRIGHT (C) 2021


VULCAN



VH-REDRG COPYRIGHT (C) 2021



SW VIEW



VH-REDRG COPYRIGHT (C) 2021



GENERAL NOTES - PLEASE READ

VENTILATION:

ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRIESSION:

ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:

EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (14" W.C.)

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURES RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

06-01-2021

06-07-2021 : 07:03:07a

CONNECTION POINT

C COLD WATER

(H) HOT WATER

HOT + COLD WATER

(D) DRAIN

() POWER

SWITCH

CORD SET

© CONV OUTLET RECP

DUPLEX RECPTACLE

SINGLE RECPTACLE

GAS

(SS) STEAM SUPPLY

CR) STEAM RETURN

(ST) STEAM TAKE OFF

VE EXHAUST VENT

VS SUPPLY VENT

(RF) REFRIGERATION

Roxanne Holt VULCAN HART COMPANY 3600 North Point Blyd Baltimore, MD 21222 v. 410-282-4322

PROJECT CODE
REDRG

Email:roxanne.holt@yulcanhart.com

VH-REDRG

COPYRIGHT (C) 2021



ROXANNE HOLT REDRG

NAFEM - 2021 06-07-21