


PLAN VIEW





VH-SEAWN  
COPYRIGHT (C) 2021



**VULCAN**



STEVE BAUER  
SEAWN


SEAWANHAKA CORINTHIAN YACHT CLUB


11-09-21

1	1 EA	VC44GD	CONVECTION OVEN	CONTROLS
	120 (1)	7.7A	5-15	(2) CIRCUITS
	100 MBTU	0.75	12 AFF	SINGLE CONNECTION

2	1 EA	V4B36C	RANGE
	172 MBTU	1.25	32 AFF
	120 (1)	4.0A	5-15

	1 EA	V6B36S	RANGE
	260 MBTU	1.25	32 AFF
	1 EA	36IRB	SALAMANDER
	30 MBTU	0.75	INTERPLUMB

4	1 EA	MSA24	GRIDDLE
	54 MBTU	0.75	30 AFF

5	1 EA	VACB25	CHARBROILER
	57 MBTU	0.75	32 AFF

6	1 EA	ARS48	REFRIGERATED BASE
	120 (1)	6.7A	5-15

VH-SEAWN

COPYRIGHT (C) 2021


 VULCAN

STEVE BAUER  
SEAWN

SEAWANHAKA CORINTHIAN YACHT CLUB

11-09-21

# CONNECTIONS



VH-SEAWN

COPYRIGHT (C) 2021


**VULCAN**

STEVE BAUER  
SEAWN

SEAWANHAKA CORINTHIAN YACHT CLUB

11-09-21

ELEVATION



VH-SEAWN  
COPYRIGHT (C) 2021


 **VULCAN**

STEVE BAUER  
SEAWN

SEAWANHAKA CORINTHIAN YACHT CLUB

11-09-21

SSS VIEW



VH-SEAWN  
COPYRIGHT (C) 2021


 **VULCAN**

STEVE BAUER  
SEAWN

SEAWANHAKA CORINTHIAN YACHT CLUB

11-09-21

SSW VIEW



VH-SEAWN

COPYRIGHT (C) 2021

 **VULCAN**

STEVE BAUER  
SEAWN

SEAWANHAKA CORINTHIAN YACHT CLUB

11-09-21



**GENERAL NOTES - PLEASE READ****VENTILATION:**

ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

**FIRE SUPPRESSION:**

ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

**CONNECTIONS:**

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

**GAS CONNECTIONS:**



















EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (14" W.C.)

**BY OTHERS:**

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

**NOTE:**

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURER RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

	CONNECTION POINT
	COLD WATER
	HOT WATER
	HOT + COLD WATER
	DRAIN
	POWER
	SWITCH
	CORD SET
	CONV OUTLET RECP
	DUPLEX RECPTACLE
	SINGLE RECPTACLE
	GAS
	STEAM SUPPLY
	STEAM RETURN
	STEAM TAKE OFF
	EXHAUST VENT
	SUPPLY VENT
	REFRIGERATION

11-09-2021

11-09-2021 : 10:21:34a

11-09-2021 : 10:23:13a

Steve Bauer  
 POSTERNAK BAUER  
 479 White Plains Road  
 Eastchester, NY 10709  
 v. 914-793-9000

Email : sb@pbacrep.com

PROJECT CODE

**SEAWN**