



NOTE:
OTHER THAN THE ITEMS NOTED
ONLY STANDARD FINISHES, OPTIONS
& ACCESSORIES ARE INCLUDED
















GENERAL NOTES - PLEASE READ

VENTILATION:

ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRIESSION:

ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:

EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (14" W.C.)

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURES RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

12-09-2021

|2-09-202| : 0|:00:46p |2-|5-202| : |2:55:|9p

> Roxanne Holt VULCAN HART COMPANY

PROJECT CODE

SUGF4

v. 41*0*-282-4322

Email:roxanne.holt@vulcanhart.com

VH-SUGF4
COPYRIGHT (C) 2021



ROXANNE HOLT

TCP SUGARLOAF - 4 - BANQUET

12-15-21

CONNECTION POINT

(C) COLD WATER

(H) HOT WATER

HOT + COLD

(D) DRAIN

(f) POWER

\$ SWITCH

CORD SET

© CONV OUTLET RECP

→ DUPLEX RECPTACLE

SINGLE RECPTACLE

GAS

(SS) STEAM SUPPLY

CR STEAM RETURN

(ST) STEAM TAKE OFF

VE EXHAUST VENT

VS SUPPLY VENT

(RF) REFRIGERATION